

**TRANRICH<sup>®</sup>**

**DON'T  
BUY**  
FROM US  
★ UNLESS ★  
**YOU ARE READY**  
— FOR —  
**SUCCESS**

**FULL LINE OF**

**ABRASIVES PRODUCTS**

**2024/2025**

**CATALOG**

# ABOUT TRANRICH ABRASIVES

Tranrich Abrasives has been in the abrasives industry since 2006. We are fully committed to providing high quality abrasives products with cost effective solutions. You will find the best selections and prices on all kinds of abrasives for cutting, grinding, blending, finishing and polishing needs. We are providing you with a convenient "one-stop" station to find the right abrasive tools to improve productivity and increase profits. Our purpose is to contribute to our customers' success by helping them work better with safety. Our products are known for their uncompromising performance and quality. We are working with 269 regular customers in 118 countries worldwide. Our talented team works hard every day to provide the best services, best quality, best prices and best delivery. We strive to remain your number one choices for abrasives industry. Every customer is a testament to our journey – a journey marked by mutual growth, shared successes, and a vision for a future that's brighter, better, and more efficient. Thank you for trusting Tranrich Abrasives. Here's to a partnership that grinds challenges to dust, polishes aspirations, and shines bright in the landscape of success.



**PEXCRAFT®**

**CRJ®**

**C&GFLEX**  
Cutting, Grinding & Polishing Master

**TRANRICH®**

**TRANSHARP®**

# GRINDING/POLISHING

## ZIRCONIA

JAPANESE CLOTH

Removal for weld seams, Deburring  
High stock removal, long life and flexibility

## ZIRCONIA

Superior cutting power,  
self-sharpening, and can  
withstand high heat/pressure.

## CALCINED ALUMINIUM OXIDE


Premium calcined aluminum is  
characterized by hard-wearing,  
long service life.

## ALUMINIUM OXIDE

Applicable to general metal, carbon steel, cast iron,  
non-ferrous metals and other weld grinding recommended  
for smaller jobs where a consistent, low  
cost product is needed.

## CERAMIC

Applicable to general metal, carbon steel, cast iron,  
non-ferrous metals and other weld grinding recommended  
for smaller jobs where a consistent, low  
cost product is needed.



## METAL


- Stainless Steel
- Carbon Steel
- General Metal
- Wood
- Plastics

Material	Size	Grit	Bore	Max.RPM	Order No.
Aluminium oxide Calcined A/O Zirconia	100mm	40-400#	16mm	15200	TRJ24-16881008
	115mm	40-400#	22mm	13300	TRJ24-16881009
	125mm	40-400#	22mm	12200	TRJ24-16881010
	150mm	40-400#	22mm	10200	TRJ24-16881011
	180mm	40-400#	22mm	8600	TRJ24-16881012
	230mm	40-400#	22mm	6600	TRJ24-16881013



## STAINLESS STEEL

- Metal
- Carbon Steel
- General Metal
- Wood
- Plastics



Size	Grit	Bore	Max.RPM	Order No.
100mm	40-400#	16mm	15200	TRJ24-16881014
115mm	40-400#	22mm	13300	TRJ24-16881015
125mm	40-400#	22mm	12200	TRJ24-16881016
150mm	40-400#	22mm	10200	TRJ24-16881017
180mm	40-400#	22mm	8600	TRJ24-16881018
230mm	40-400#	22mm	6600	TRJ24-16881019

- Faster stock removal compared to aluminum oxide and zirconia radial flap discs in the same class
- Longer life compared to aluminum oxide and zirconia flap discs in the same class
- Grinds cool – Doesn't burn the work piece
- Grains remain sharp through entire life of the wheel – "self sharpening"
- Exceptional performance on stainless steel and other high tensile alloys
- Consistent surface finishes

HALF-CURVED FLAP DISC




**STAINLESS STEEL**

- Metal
- Carbon Steel
- General Metal
- Wood
- Plastics

- **Material:** Ceramic/Zirconia Grain/Aluminum oxide.
- **Feature:** Blending, deburring, cleaning and finishing in an awkward area which is hard to touch such as a curved surface.

Size	Grit	Bore	Max.RPM	Order No.
100mm	40-400#	16mm	15200	TRJ24-16881020
115mm	40-400#	22mm	13300	TRJ24-16881021
125mm	40-400#	22mm	12200	TRJ24-16881022
150mm	40-400#	22mm	10200	TRJ24-16881023
180mm	40-400#	22mm	8600	TRJ24-16881024
230mm	40-400#	22mm	6600	TRJ24-16881025


RADIAL FLAP DISC



- The flexible flap disc is mainly installed on hand-held power tools and used for the polishing and polishing of welding joints, corners, included angles and impact parts surface of various metal and non-metal work pieces.
- It is widely used in ships, automobiles, light industries, metal furniture, stainless steel, hardware products and other industries.

Size	Grit	Max. RPM	Order No.
100x16mm	40#	15200	TRJ24-16881026
100x16mm	60#	15200	TRJ24-16881027
100x16mm	80#	15200	TRJ24-16881028
100x16mm	120#	15200	TRJ24-16881029

DIAMOND



- Premium diamond sheet & Emery Fiberglass Backing
- Diamond flap disc is widely used for tempered glass, tungsten carbide, silicon carbide, ceramic and semiconductor.

Size	Grit	Bore	Max.RPM	Order No.
100mm	40-400#	16mm	15200	TRJ24-16881030
115mm	40-400#	22mm	13300	TRJ24-16881031
125mm	40-400#	22mm	12200	TRJ24-16881032
150mm	40-400#	22mm	10200	TRJ24-16881033
180mm	40-400#	22mm	8600	TRJ24-16881034
230mm	40-400#	22mm	6600	TRJ24-16881035

- **GLASS**
- Tungsten carbide
- Silicon carbide
- Ceramic
- Semiconductor




**FELT-POLISHING FLAP DISC**

**SHAPE A**



**SHAPE B**



**SHAPE C**



- Material = Wool
- Felt polishing discs are made by top-level wool. Widely used in stainless steel, copper, aluminum and other metals and glass, furniture, ceramics, marble and other metal and non-metal fine polishing.

Size	Max. RPM	Order No.
100mm	15200	TRJ24-16881036
115mm	13300	TRJ24-16881037
125mm	12200	TRJ24-16881038
150mm	10200	TRJ24-16881039
180mm	8600	TRJ24-16881040
230mm	6600	TRJ24-16881041
250mm	6000	TRJ24-16881042
300mm	5100	TRJ24-16881043

**NON-WOVEN FLAP DISC**



- With high flexibility and high grinding efficiency.
- Good heat dissipation and self-sharpening.
- Low noise and long service life.

**Suitable For:** Used in polishing of metallurgy, machinery, light industry, wood products, furniture, metal, plastic, melamine, building materials, automobiles, leather, textile and other industries.

Size	Grit	Max. RPM	Order No.
100mm	Coarse/ Medium/ Fine	15,200	TRJ24-16881044
115mm	Coarse/ Medium/ Fine	13,300	TRJ24-16881045
125mm	Coarse/ Medium/ Fine	12,200	TRJ24-16881046



# 12PCS FLAP DISC AND POLISH DISC SET



### Angle Grinder Strip Disc

Rust stripping disc is made of polyurethane coated nylon cord, impregnated with silicon carbide. Quick strip disc is ideal for paint and coatings removal, cleaning rust and corrosion, cleaning welds, wood, metal, fiberglass, etc. without damaging the original surface.



### 40 60 80 120 Grit Assorted Flap Discs

Designed for high speed sanding and heavy duty removal, delivering fast and long lasting cut. Overlapped abrasive strips offer more efficient sanding effect and longer service life than conventional fiber discs.



Electric Angle Grinder



### Nylon Polishing Disc

The nylon fiber wheels can polish grooves, flat or curved surface and make their surface smooth. Designed for buffing and polishing metal and other non-metal materials.



### Felt Polishing Disc

Felt Polishing Disc is made of wool material, durable and strong. Designed for high mirror finishing, fine polishing or repairing the scratches of different materials.

**Grinding & polishing discs set is specifically used for cleaning, finishing & polishing on metal, stainless steel, wood crafts, etc.**



- 4.5" Stripping Disc 7/8" Arbor 1/2" thick **x1**
- 4.5" Felt Polishing Disc 7/8" Arbor 1/2" thick **x1**
- 4.5" Sponge Polishing Disc 3/8" thick **x1**
- 4.5" 40 grit Aluminum Oxide Flap Disc 7/8" Arbor **x2**
- 4.5" 60 grit Aluminum Oxide Flap Disc 7/8" Arbor **x3**
- 4.5" 80 grit Aluminum Oxide Flap Disc 7/8" Arbor **x2**
- 4.5" 120 grit Aluminum Oxide Flap Disc 7/8" Arbor" **x1**
- Electric Angle Grinder **x1**



TRJ24-16881047

# NON-WOVEN ABRASIVES ROLLS AND PADS

## NON-WOVEN HAND PAD ROLL

Hand pad are made of non-woven nylon, impregnated with abrasive grain and resin.

Most commonly used hand pad for surface conditioning, cleaning, and finishing.

Used widely in aerospace, plant maintenance, foundry, automotive, metal fabrication and shipyards



Size	Material	Grit	Color	Order No.
100mmx5/10m	A/O	60#	Brown	TRJ24-16881048
100mmx5/10m	A/O	80#	Brown	TRJ24-16881049
100mmx5/10m	A/O	120#	Brown	TRJ24-16881050
100mmx5/10m	S/C	150#	Black	TRJ24-16881051
100mmx5/10m	A/O	150#	Coffee	TRJ24-16881052
100mmx5/10m	A/O	150#	Yellow	TRJ24-16881053
100mmx5/10m	A/O	240#	Brown	TRJ24-16881054
100mmx5/10m	A/O	320#	Green	TRJ24-16881055
100mmx5/10m	A/O	320#	Maroon	TRJ24-16881056
100mmx5/10m	A/O	400#	Red	TRJ24-16881057
100mmx5/10m	A/O	600#	Purple	TRJ24-16881058
100mmx5/10m	S/C	800#	Grey	TRJ24-16881059
100mmx5/10m	S/C	1000#	Grey	TRJ24-16881060
100mmx5/10m	S/C	1000#	Grey	TRJ24-16881061
100mmx5/10m	SW	No Grit	White	TRJ24-16881062



## NON-WOVEN HAND PAD



Size	Material	Grit	Color	Order No.
150x230mm	A/O	60#	Brown	TRJ24-16881063
150x230mm	A/O	80#	Brown	TRJ24-16881064
150x230mm	A/O	120#	Brown	TRJ24-16881065
150x230mm	S/C	150#	Black	TRJ24-16881066
150x230mm	A/O	150#	Coffee	TRJ24-16881067
150x230mm	A/O	150#	Yellow	TRJ24-16881068
150x230mm	A/O	240#	Brown	TRJ24-16881069
150x230mm	A/O	320#	Green	TRJ24-16881070
150x230mm	A/O	320#	Maroon	TRJ24-16881071
150x230mm	A/O	400#	Red	TRJ24-16881072
150x230mm	A/O	600#	Purple	TRJ24-16881073
150x230mm	S/C	800#	Grey	TRJ24-16881074
150x230mm	S/C	1000#	Grey	TRJ24-16881075
150x230mm	S/C	1000#	Grey	TRJ24-16881076
150x230mm	SW	No Grit	White	TRJ24-16881077

Industry scouring rolls and pads are based of nylon fibers, with professional resin bonded to substrate, the rich flexibility and whole 3d grinding system.

Widely used in cleaning, polishing, burring, removing oxidation film and precise treatment of fine lines of metal and non-metalsurface etc.






**Material:** Aluminium Oxide/Zirconia/Silicon Carbide/Ceramic



**STAINLESS STEEL**

- Metal
- Carbon Steel
- General Metal
- Wood
- Plastics


• Removal of paint, rust, prick and welding.



**STAINLESS STEEL**


- Metal
- Carbon Steel
- Stainless Steel
- Wood
- Plastics

• Durable and longer life, higher performance.






**STAINLESS STEEL**

- Metal
- Carbon Steel
- Stainless Steel
- Wood
- Plastics



**STAINLESS STEEL**


- Metal
- Carbon Steel
- Stainless Steel
- Wood
- Plastics



**Stainless steel**



**Metal**



**Granite**



Size	Grit	Bore	Max.RPM	Order No.
100mm	16-120#	16mm	15500	TRJ24-16881078
115mm	16-120#	22mm	13300	TRJ24-16881079
125mm	16-120#	22mm	12200	TRJ24-16881080
150mm	16-120#	22mm	10200	TRJ24-16881081
180mm	16-120#	22mm	8600	TRJ24-16881082
230mm	16-120#	22mm	6600	TRJ24-16881083

- Longest life
- Grains remain sharp through entire life of the wheel – “self sharpening”
- Exceptional performance on stainless steel and other high tensile alloys
- Consistent surface finishes
- Resists glazing and loading



# CLEAN & STRIP DISC

## STRIP DISC



**Material:** Silicon Carbide  
**Type:** T27 (flat)  
**Backing:** Reinforced fiberglass backing.

- **Recommended Applications:** Rapidly removing scale and oxidation, satin finishing small and large surfaces, removing paints or other clogging materials such as salt, rust, grease, oil, and protective waxes.
- **Work Surfaces:** Stainless steel, standard or alloyed steel, aluminum, titanium, nonferrous materials, and alloys, fiberglass, plastic reinforced by fiberglass, stone or wood.



Size	Color	Max.RPM	Order No.
100x16mm	Black/Blue/Purple/Orange	9,900	TRJ24-16881084
115x22mm	Black/Blue/Purple/Orange	8,600	TRJ24-16881085
125x22mm	Black/Blue/Purple/Orange	7,800	TRJ24-16881086
180x22mm	Black/Blue/Purple/Orange	5,600	TRJ24-16881087

## STRIP-IT DISC WITH SHANK



**Material:** Silicon Carbide  
**Type :** with 6mm or 6.35 mm shank

- **Recommended Applications:** Rapidly removing scale and other clogging materials such as salt, rust, grease, oil, and oxidation, satin finishing small surfaces, removing paints protective waxes.
- **Work Surfaces:** Stainless steel, standard or alloyed steel aluminum, titanium, nonferrous materials, and alloys, fiberglass plastic reinforced by fiberglass, stone or wood.



Size	Color	Max.RPM	Order No.
50x6mm	Black/Blue/Purple	16,000	TRJ24-16881088
75x6mm	Black/Blue/Purple	10,500	TRJ24-16881089
100x6mm	Black/Blue/Purple	8,000	TRJ24-16881090
150x6mm	Black/Blue/Purple	5,300	TRJ24-16881091
180x6mm	Black/Blue/Purple	4,200	TRJ24-16881092

## STRIP DISC IN R TYPE



**Material:**  
Silicon Carbide  
**Backing:**  
Plastic, nylon,  
iron buckle

- **Recommended Applications:** Rapidly removing scale and oxidation, satin finishing small surfaces, removing paints or other clogging materials such as salt, rust, grease, oil, and protective waxes.
- **Work Surfaces:** Stainless steel standard or alloyed steel aluminum, titanium, nonferrous materials, and alloys fiberglass, plastic reinforced by fiberglass, stone or wood.

Size	Color	Max.RPM	Order No.
50mm	Black/Blue/Purple/Orange	18,000	TRJ24-16881093
75mm	Black/Blue/Purple/Orange	15,000	TRJ24-16881094
100mm	Black/Blue/Purple/Orange	11,000	TRJ24-16881095



## STRIP DISC FOR AUTOMOTIVE HUB GROOVE



**Material:**  
Silicon Carbide  
**Backing:**  
Plastic

- **Recommended applications:** automotive hub groove cleaning , rapid removal of scale and oxidation, polishing of small surfaces , removal of paint or Other clogging materials , such as salt , rust , grease ,oil and protective wax.
- **Working surface:** stainless steel , standard or alloy steel Aluminum, titanium , non-ferrous metal materials and alloys, glass fibers, plastics reinforced by glass fibers , stones or wood.

Size	Color	Max.RPM	Order No.
38x17mm	Black/Blue/Purple/Orange	22,000	TRJ24-16881104

## STRIP DISC WITH VELCRO



**Material:**  
Silicon Carbide  
**Backing:** stuck with  
black velcro cloth.

- **Recommended Applications:** Plastic products, machinery for the chemical and food industries, stainless steel furniture, the automotive and railway industries the aeronautical industry, stainless steel structural Works.

- **Work Surfaces:** Stainless steel, standard steel, alloyed steel, aluminum, nonferrous metals and alloys, plastic and glass.

Size	Color	Max.RPM	Order No.
25mm	Black/Blue/Purple/Orange	30,000	TRJ24-16881096
40mm	Black/Blue/Purple/Orange	30,000	TRJ24-16881097
50mm	Black/Blue/Purple/Orange	22,000	TRJ24-16881098
75mm	Black/Blue/Purple/Orange	20,000	TRJ24-16881099
100mm	Black/Blue/Purple/Orange	18,000	TRJ24-16881100
115mm	Black/Blue/Purple/Orange	15,300	TRJ24-16881101
125mm	Black/Blue/Purple/Orange	13,300	TRJ24-16881102
150mm	Black/Blue/Purple/Orange	11,000	TRJ24-16881103

## MINI PAD HOLDER FOR QUICK CHANGE DISC



Size	Shank	Max.RPM	Order No.
25mm	6mm	30,000	TRJ24-16881105
40mm	6mm	30,000	TRJ24-16881106
50mm	6mm	22,000	TRJ24-16881107
75mm	6mm	20,000	TRJ24-16881108



### Roloc Strip & Clean Discs

Mainly used in automobile repair and other surface treatment. Rust removal, cleaning paint, welding and weld pretreatment before clean-up.


## ALUMINUM OXIDE



## ZIRCONIA



## CERAMIC



**Backing :** plastic nylon

**Work Surfaces :** Stainless steel standard steel alloyed steel, aluminum , nonferrous metals and alloys , cast iron

Size	Grit	Type	MAX RPM	Order No.
25mm	36-120#	R/S	20,000	TRJ24-16881109
40mm	36-120#	R/S	20,000	TRJ24-16881110
50mm	36-120#	R/S	18,000	TRJ24-16881111
75mm	36-120#	R/S	18,000	TRJ24-16881112

## WOOL FELT

## PLASTIC NYLON BACKING



Size	Type	MAX RPM	Order No.
25mm	R	20,000	TRJ24-16881113
40mm	R	20,000	TRJ24-16881114
50mm	R	18,000	TRJ24-16881115
75mm	R	18,000	TRJ24-16881116
100mm	R	18,000	TRJ24-16881117

## MINI FLAP DISC



Size	Grit	Type	MAX RPM	Order No.
50mm	36-320#	R	20,000	TRJ24-16881118
75mm	36-320#	R	20,000	TRJ24-16881119

## SURFACE CONDITION DISC



Size	Grit	Type	MAX RPM	Order No.
25mm	Coarse/Medium/Fine	R/S	20,000	TRJ24-16881120
40mm	Coarse/Medium/Fine	R/S	20,000	TRJ24-16881121
50mm	Coarse/Medium/Fine	R/S	18,000	TRJ24-16881122
75mm	Coarse/Medium/Fine	R/S	18,000	TRJ24-16881123
100mm	Coarse/Medium/Fine	R/S	18,000	TRJ24-16881124



## FLAT NON WOVEN DISC

Suited for corner blending and finishing.  
To be used with low speed angle grinders.  
The product must work on the edge.  
Exert lateral pressure.



Size	Thickness	Grit	Order No.
115mm	6mm	S.Fine	TRJ24-16881125
115mm	6mm	S.Medium	TRJ24-16881126
125mm	6mm	S.Fine	TRJ24-16881127
125mm	6mm	S.Medium	TRJ24-16881128

## NON-WOVEN POLISH WHEEL

Can be used for polishing marble, wood, and metal.  
Ideal for wire drawing in metal and stainless steel product.

Light fast design, mirror light effect is good and it is not easy to scratch the surface of metal.

Used widely in aerospace, plant maintenance, foundry, automotive, metal fabrication and shipyards.



Size	Thickness	Hardness	Order No.
100mm	3-100mm	3P-16P	TRJ24-16881130
150mm	3-100mm	3P-16P	TRJ24-16881131
200mm	6-100mm	3P-16P	TRJ24-16881132
250mm	6-100mm	3P-16P	TRJ24-16881133
300mm	12-100mm	3P-16P	TRJ24-16881134
350mm	25-100mm	3P-16P	TRJ24-16881135



## NON WOVEN FLAP DISC

Nylon fiber flap discs are ideal for deburring ,removing rust, stainless steel,aluminum, iron and other metal structure products polishing and wire drawing effect.

The non-woven polishing disc,in the high-speed polishing machine (3000/min) use don't burn the workpiece surface, the cutting force strong, sharp, durable, efficient, anti blocking, high degree of finish effect.



Size	Thickness	Grit	Order No.
115mm	10mm	180#-240#	TRJ24-16881129



## NON-WOVEN DISC PLASTIC BACKING

The nylon fiber buffing wheels are used widely in aerospace, plant maintenance, foundry, automotive, metal fabrication and shipyards.  
Low noise, durable.



Size	Bore	Hardness	Order No.
100mm	16mm	5P-12P	TRJ24-16881136
115mm	22mm	5P-12P	TRJ24-16881137
125mm	22mm	5P-12P	TRJ24-16881138

## MOUNTED FLAP WHEEL



- The coated abrasive flaps are attached around a tool axis.
- The adjustable flaps are ideal for contouring any surface conveniently.
- Aggressive coated abrasive on the flaps help to remove high stock from variable metals and materials.

### Application:

- Grinding/polishing for iron, stainless, aluminum etc.
- Cleaning weld slag, Deburring, Chamfering
- Removing rust, paint, casting scale Woodworking

Size	Grit	Shaft	Order No.
30x10x6mm	40-120#	6mm	TRJ24-16881139
30x15x6mm	40-120#	6mm	TRJ24-16881140
30x20x6mm	40-120#	6mm	TRJ24-16881141
30x25x6mm	40-120#	6mm	TRJ24-16881142
40x15x6mm	40-120#	6mm	TRJ24-16881143
40x25x6mm	40-120#	6mm	TRJ24-16881144
40x30x6mm	40-120#	6mm	TRJ24-16881145
50x10x6mm	40-120#	6mm	TRJ24-16881146
50x20x6mm	40-120#	6mm	TRJ24-16881147
50x25x6mm	40-120#	6mm	TRJ24-16881148
50x30x6mm	40-120#	6mm	TRJ24-16881149
60x25x6mm	40-120#	6mm	TRJ24-16881150
60x30x6mm	40-120#	6mm	TRJ24-16881151
60x40x6mm	40-120#	6mm	TRJ24-16881152
80x25x6mm	40-120#	6mm	TRJ24-16881153
80x30x6mm	40-120#	6mm	TRJ24-16881154
80x40x6mm	40-120#	6mm	TRJ24-16881155



Size	Grit	Shaft	Order No.
30x10x6mm	40-120#	6mm	TRJ24-16881156
30x15x6mm	40-120#	6mm	TRJ24-16881157
30x20x6mm	40-120#	6mm	TRJ24-16881158

## FLAP WHEEL



Size	Grit	Order No.
25x30mm	40-120#	TRJ24-16881159
30x30mm	40-120#	TRJ24-16881160
40x30mm	40-120#	TRJ24-16881161
50x30mm	40-120#	TRJ24-16881162
60x30mm	40-120#	TRJ24-16881163
80x30mm	40-120#	TRJ24-16881164
100x30mm	40-120#	TRJ24-16881165
115x30mm	40-120#	TRJ24-16881166
125x30mm	40-120#	TRJ24-16881167
150x30mm	40-120#	TRJ24-16881168

The broad, circular head design is perfectly suited for interior diameters of aluminum or stainless steel tubes. For deeper grinding and deburring.

## POLISHING WHEEL



Finishing, light deburring, cleaning or preparation for subsequent treatments on smaller hard-to-reach surfaces such as the internal surfaces of pipes, cylinders, parts of irregular shape.

Size	Grit	Order No.
300x100/120/150/200mm	40-120#	TRJ24-16881169
350x100/120/150/200mm	40-120#	TRJ24-16881170
400x100/120/150/200mm	40-120#	TRJ24-16881171
500x100/120/150/200mm	40-120#	TRJ24-16881172

## INSIDE OF THE TUBE DEBURRING



- Ideal choice for refined stainless steel finishing tasks including flash removal, stock removal and light grinding.
- The enhanced flexibility of cross pads allows them to be used in smaller inner diameter polishing applications.
- Choose the coarse for deburring and the fine for more detailed polishing.



Size	Grit	Order No.
40mm	40-120#	TRJ24-16881173
115mm	40-120#	TRJ24-16881174

# FLAP POLISHING WHEEL

## FLAP POLISHING WHEEL



- **Material:** Non-woven/Aluminum oxide
- Ideal for blending, deburring, finishing, grinding, and polishing
- Aluminum oxide mineral cuts fast and sharp for aggressive cleaning and bright finishing

Size	Grit	Bore	Order No.
15x20mm	40-120#	3mm	TRJ24-16881175
15x20mm	40-120#	6mm	TRJ24-16881176
20x25mm	40-120#	6mm	TRJ24-16881177
25x25mm	40-120#	6mm	TRJ24-16881178
30x10mm	40-120#	6mm	TRJ24-16881179
30x15mm	40-120#	6mm	TRJ24-16881180
30x20mm	40-120#	6mm	TRJ24-16881181
30x25mm	40-120#	6mm	TRJ24-16881182
40x15mm	40-120#	6mm	TRJ24-16881183
40x25mm	40-120#	6mm	TRJ24-16881184
40x30mm	40-120#	6mm	TRJ24-16881185
50x10mm	40-120#	6mm	TRJ24-16881186
50x20mm	40-120#	6mm	TRJ24-16881187
50x25mm	40-120#	6mm	TRJ24-16881188
50x30mm	40-120#	6mm	TRJ24-16881189
60x25mm	40-120#	6mm	TRJ24-16881190
60x30mm	40-120#	6mm	TRJ24-16881191
60x40mm	40-120#	6mm	TRJ24-16881192
80x25mm	40-120#	6mm	TRJ24-16881193
80x30mm	40-120#	6mm	TRJ24-16881194
80x40mm	40-120#	6mm	TRJ24-16881195
80x50mm	40-120#	6mm	TRJ24-16881196
100x25mm	40-120#	6mm	TRJ24-16881197



## NON-WOVEN FLAP WHEEL




- **Material:** Non-woven (Coarse/Medium/Fine)
- Non-woven flap discs are premium quality, manufactured using strengthened synthetic fibre and bonded by a specialist smear resistant adhesive which prevents loading.

Size	Grit	Bore	Order No.
15x20mm	40-120#	3mm	TRJ24-16881198
15x20mm	40-120#	6mm	TRJ24-16881199
20x25mm	40-120#	6mm	TRJ24-16881200
25x25mm	40-120#	6mm	TRJ24-16881201
30x10mm	40-120#	6mm	TRJ24-16881202
30x15mm	40-120#	6mm	TRJ24-16881203
30x20mm	40-120#	6mm	TRJ24-16881204
30x25mm	40-120#	6mm	TRJ24-16881205
40x15mm	40-120#	6mm	TRJ24-16881206
40x25mm	40-120#	6mm	TRJ24-16881207
40x30mm	40-120#	6mm	TRJ24-16881208
50x10mm	40-120#	6mm	TRJ24-16881209
50x20mm	40-120#	6mm	TRJ24-16881210
50x25mm	40-120#	6mm	TRJ24-16881211
50x30mm	40-120#	6mm	TRJ24-16881212
60x25mm	40-120#	6mm	TRJ24-16881213
60x30mm	40-120#	6mm	TRJ24-16881214
60x40mm	40-120#	6mm	TRJ24-16881215
80x25mm	40-120#	6mm	TRJ24-16881216
80x30mm	40-120#	6mm	TRJ24-16881217
80x40mm	40-120#	6mm	TRJ24-16881218
80x50mm	40-120#	6mm	TRJ24-16881219
100x25mm	40-120#	6mm	TRJ24-16881220

## READING THE PRODUCT

- Premium quality
- Coated with A grade Non-woven and Aluminum Oxide
- Long life usage
- Resistance the high speed




## MOUNTED FLAP WHEELS

- Material: premium grade aluminum oxide grain
- Shank mounted flap wheels have a 6.0mm shank to suit die grinders
- Use for blending and finishing applications



Size	Grit	Bore	Order No.
15x20mm	40-120#	6mm	TRJ24-16881221
15x20mm	40-120#	6mm	TRJ24-16881222
20x25mm	40-120#	6mm	TRJ24-16881223
25x25mm	40-120#	6mm	TRJ24-16881224
30x10mm	40-120#	6mm	TRJ24-16881225
30x15mm	40-120#	6mm	TRJ24-16881226
30x20mm	40-120#	6mm	TRJ24-16881227
30x25mm	40-120#	6mm	TRJ24-16881228
40x15mm	40-120#	6mm	TRJ24-16881229
40x25mm	40-120#	6mm	TRJ24-16881230
40x30mm	40-120#	6mm	TRJ24-16881231
50x10mm	40-120#	6mm	TRJ24-16881232
50x20mm	40-120#	6mm	TRJ24-16881233
50x25mm	40-120#	6mm	TRJ24-16881234
50x30mm	40-120#	6mm	TRJ24-16881235
60x25mm	40-120#	6mm	TRJ24-16881236
60x30mm	40-120#	6mm	TRJ24-16881237
60x40mm	40-120#	6mm	TRJ24-16881238
80x25mm	40-120#	6mm	TRJ24-16881239
80x30mm	40-120#	6mm	TRJ24-16881240
80x40mm	40-120#	6mm	TRJ24-16881241
80x50mm	40-120#	6mm	TRJ24-16881242
100x25mm	40-120#	6mm	TRJ24-16881243



## CARTRIDGE ROLLS

- Material: Aluminum oxide, zirconium, ceramic
- For universal grinding work on metals and other materials.
- Wide range of sizes and grits available




Size	Grit	Bore	Order No.
35x8mm	36-120#	6mm	TRJ24-16881244
35x4mm	36-120#	6mm	TRJ24-16881245
35x12mm	36-120#	6mm	TRJ24-16881246
35x15mm	36-120#	6mm	TRJ24-16881247
35x20mm	36-120#	6mm	TRJ24-16881248
40x8mm	36-120#	6mm	TRJ24-16881249
40x4mm	36-120#	6mm	TRJ24-16881250
40x12mm	36-120#	6mm	TRJ24-16881251
40x15mm	36-120#	6mm	TRJ24-16881252
40x20mm	36-120#	6mm	TRJ24-16881253
50x8mm	36-120#	6mm	TRJ24-16881254
50x10mm	36-120#	6mm	TRJ24-16881255
50x12mm	36-120#	6mm	TRJ24-16881256
50x15mm	36-120#	6mm	TRJ24-16881257
50x20mm	36-120#	6mm	TRJ24-16881258



Abrasive cones    Cylindrical shape    Conical shape





## GLUE INJECTED FLAP WHEEL

## UNMOUNTED FLAP WHEEL



### METAL

- Stainless Steel
- Carbon Steel
- General Metal
- Wood
- Plastics

- **Material:** Aluminum oxide cloth zirconia cloth or silicon carbide cloth.
- General purpose for front and side- hand can easily replace tools without additional auxiliary tools

Size	Grit	Bore	Max.RPM	Order No.
100x6mm	40-240#	16mm	15200	TRJ24-16881259
115x6mm	40-240#	16mm	13300	TRJ24-16881260
125x6mm	40-240#	16mm	12200	TRJ24-16881261
150x6mm	40-240#	16mm	10200	TRJ24-16881262
165x6mm	40-240#	16mm	8600	TRJ24-16881263



### METAL

- Alloyed Steel
- Aluminum
- General Metal
- Wood
- Plastics

- **Material:** Aluminium oxide cloth zirconia cloth or silicon carbide cloth.
- Using for stainless steel, alloyed steel, aluminum, non-ferrous and alloys, plastic materials, glass fiber, rubber.

Size	Grit	Bore	Max.RPM	Order No.
100x25mm	40-240#	16mm	15200	TRJ24-16881264
150x25mm	40-240#	25mm	13300	TRJ24-16881265
200x25mm	40-240#	25mm	12200	TRJ24-16881266
250x50mm	40-240#	45mm	10200	TRJ24-16881267
300x50mm	40-240#	45mm	8600	TRJ24-16881268



## NO CHUCK FLAP WHEEL WITH THREAD A RBOR

- Mat Aluminum oxide cloth zirconia cloth or silicon oxide cloth  
Recommended Applications: Finishing, light deburring, cleaning or preparation for subsequent treatments(chromium plating, nickel plating or painting) on small or hard-to-reach surfaces such as the internal surfaces of pipes, cylinders, parts of irregular shape.
- **Work Surfaces:** Stainless steel standard steel alloyed steel aluminum, nonferrous materials and alloys, plastic materials, glass fiber, rubber, marble , stone , concrete wood, hide or Leather. It can be used in all common angle mills (80m/s) general purpose ; front and side - hand can easily replace tools without additional auxiliary tools.
- **Advantage:** with glue-injection, we can make big flap wheel much thinner and much stronger to meet all customer's demands

Size	Grit	Bore	Max.RPM	Order No.
115x20mm	40-240#	M14	13300	TRJ24-16881269
115x25mm	40-240#	M14	13300	TRJ24-16881270
125x20mm	40-240#	5/8-11	12200	TRJ24-16881271
125x25mm	40-240#	5/8-11	12200	TRJ24-16881272

# ABRASIVE FLAP WHEEL


## ABRASIVE CLOTH FLAP WHEEL



- Great for a large area of surface or surface polishing workflow, high-efficient and time-saving.
- Aluminum oxide abrasive cloth in place ensuring uniform wear of the abrasive flaps for long life and consistent performance.
- X weight backing help to finish kinds of heavy-duty job.

Size	Grit	Order No.
100x100x19mm	60-320#	TRJ24-16881273
110x100x19mm	60-320#	TRJ24-16881274
115x50x19mm	60-320#	TRJ24-16881275
115x100x19mm	60-320#	TRJ24-16881276
120x100x19mm	60-320#	TRJ24-16881277


## CLEAN & STRIP FLAP WHEEL



- Welded stainless steel surface, repair scratches, can restore drawing lines effectively and easy to use. Especially to adapt to the irregular shape of work-pieces. Do not burn the work-piece, durable, self-sharpening, have strong cutting ability, long life, clear lines.

Size	Grit	Order No.
100x100x19mm	40#	TRJ24-16881278
110x100x19mm	40#	TRJ24-16881279
115x50x19mm	40#	TRJ24-16881280
115x100x19mm	40#	TRJ24-16881281
120x100x19mm	40#	TRJ24-16881282

## NON-WOVEN INTERLEAVED FLAP WHEEL



In non-woven scales (**non-woven and corundum or zirconium corundum scales alternate in the proportion of 1:1**) are arranged radially outside the wood heart, excellent grinding capacity. After processing the surface, the workpiece line uniform, heat dissipation is good, don't burn the workpiece, reducing the grinding cost, improve work efficiency.

Dia x Wth x Hole	Grit	Order No.
100x100x19mm	60-320#	TRJ24-16881283
110x100x19mm	60-320#	TRJ24-16881284
115x50x19mm	60-320#	TRJ24-16881285
115x100x19mm	60-320#	TRJ24-16881286
120x100x19mm	60-320#	TRJ24-16881287

## ABRASIVE NYLON WIRE DRUM



- For removing scale and rust on uneven surfaces, including surfaces with nuts, bolts, brackets, or rivets, without catching edges.
- For grinding bark and rotten parts on uneven surfaces of wood, including wood with grooves, scabbed surfaces, and planar striations.

Dia x Wth x Hole	Grit	Order No.
100x100x19mm	60-320#	TRJ24-16881288
110x100x19mm	60-320#	TRJ24-16881289
115x50x19mm	60-320#	TRJ24-16881290
115x100x19mm	60-320#	TRJ24-16881291
120x100x19mm	60-320#	TRJ24-16881292

## NON-WOVEN FLAP WHEEL



The rough mesh structure keeps good heat dissipation near the surface of the material.

Dia x Wth x Hole	Grit	Order No.
100x100x19mm	Medium	TRJ24-16881293
110x100x19mm	Medium	TRJ24-16881294
115x50x19mm	Medium	TRJ24-16881295
115x100x19mm	Medium	TRJ24-16881296
120x100x19mm	Medium	TRJ24-16881297



Fine grain and soft texture, can work with wood gypsum surface, metal plating, finish the problem such as surface defects, coating thickness etc.

Dia x Wth x Hole	Grit	Order No.
100x100x19mm	Fine	TRJ24-16881298
110x100x19mm	Fine	TRJ24-16881299
115x50x19mm	Fine	TRJ24-16881300
115x100x19mm	Fine	TRJ24-16881301
120x100x19mm	Fine	TRJ24-16881302



It has strong softness and fit, strong cutting force, clear texture, high gloss, uniform linear effect, no blackening, no wax, wear-resistant, economical and durable.

Dia x Wth x Hole	Grit	Order No.
100x100x19mm	40-1000#	TRJ24-16881303
110x100x19mm	40-1000#	TRJ24-16881304
115x50x19mm	40-1000#	TRJ24-16881305
115x100x19mm	40-1000#	TRJ24-16881306
120x100x19mm	40-1000#	TRJ24-16881307

Made by scouring pad tech material, 15mm thickness, good elasticity provide good adhesive force, can adapt to the shape of the wooden workpiece, and clean the surface burr, curve edge or line corner.



## SUPER GRINDING WHEEL

This product is a special fiber-based material is processed through a special adhesive and abrasive, for a variety of shapes of the workpiece, the workpiece designed for uneven surfaces polished, high working efficiency. Can be customized according to customer specifications.

### FEATURES

- Flexibility, no blockage, good brightness, excellent grinding, durable for use.

### PRODUCT APPLICATIONS

- Waterproof, flexible. It's used for cleaning descaling, brush the painting, stainless steel, aluminum wares and furniture etc.



Size	Grit	Dia	Thickness	Order No.
18mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881308
20mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881309
25mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881310
32mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881311
40mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881312
50mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881313
76mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881314
90mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881315
100mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881316
143mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881317
150mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881318
200mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881319
350mm	46-3000#	7.5c/-50cm	0.6-20cm	TRJ24-16881320

## WOOL FELT FLAP WHEEL

- It consists of pure wool, high-grade resin, functional additive, and special glue. Wool felt is multi-layer network structure, no rotation direction limit easy to use. Hole structure high-temperature resistance.



100%  
Wool-Knitted



Durable

Dia x Wth x Hole	Density	Order No.
100x100x19mm	Medium	TRJ24-16881321
110x100x19mm	Medium	TRJ24-16881322
115x50x19mm	Medium	TRJ24-16881323
115x100x19mm	Medium	TRJ24-16881324
120x100x19mm	Medium	TRJ24-16881325



## COTTON FLAP WHEEL

- Made of fine cotton suture and the overlying together, also in the polishing process have excellent quality and effect.
- Soft materials can better fit the surface of a tubular or curved pieces.
- The flaky structure and vertical arrangement allow easy access to various depths of the groove and finish the polishing work.



100%  
Cotton Sheet



Durable

Dia x Wth x Hole	Grit	Order No.
100x100x19mm	Super Fine	TRJ24-16881326
110x100x19mm	Super Fine	TRJ24-16881327
115x50x19mm	Super Fine	TRJ24-16881328
115x100x19mm	Super Fine	TRJ24-16881329
120x100x19mm	Super Fine	TRJ24-16881330



# FLAP POLISHING WHEEL


## POLISHING WHEEL



- **Material:** Aluminum oxide
- Multi-layers net structure easy to use
- Sides of cloth wheel act as flexible files Suitable for root carving grinding, furniture and metal non-metallic wood

Size	Grit	Order No.
30x118mm	60-600#	TRJ24-16881331
60x60mm	60-600#	TRJ24-16881332
30x118mm	60-600#	TRJ24-16881333
100x120mm	60-600#	TRJ24-16881334

## POLISHING WHEEL



- **Material:** Aluminum oxide
- Smooth tarnishing, burnishing and polishing stainless steel and non-ferrous metals. also for smoothing wood surfaces.

Size	Grit	Order No.
30x118mm	60-600#	TRJ24-16881335
60x60mm	60-600#	TRJ24-16881336
30x118mm	60-600#	TRJ24-16881337
100x120mm	60-600#	TRJ24-16881338




## HIGH-STRENGTH RESIN BONDING

VELCRO DISC CAN BE USED IN STONE, LACQUER SURFACE,  
MIRROR SURFACE TREATMENT SUCH AS HEADLAMPS POLISHING.

WOOD FURNITURE FINISHING, DRYWALL SANDING, AUTOMOTIVE  
METAL POLISHING, ALMOST ALL THE POLISH WORK CAN BE  
FINISHED WITH THEM.

### GOLD SANDING DISC



- **Material:** Calcined abrasive, D-wt paper or white paper invisible coated.
- **Application:** Fine grinding for automobile, painting, putty and so on.

Size	Grit	Backing	Order No.
115mm	40-320#	Velcro/PSA	TRJ24-16881339
125mm	40-320#	Velcro/PSA	TRJ24-16881340
150mm	40-320#	Velcro/PSA	TRJ24-16881341
180mm	40-320#	Velcro/PSA	TRJ24-16881342


### WHITE SANDING DISC



- **Material:** Aluminum oxide, D-wt paper, coated.
- **Application:** Grinding and polishing for hardwood furniture, synthetic materials and metals.

Size	Grit	Backing	Order No.
115mm	40-320#	Velcro/PSA	TRJ24-16881343
125mm	40-320#	Velcro/PSA	TRJ24-16881344
150mm	40-320#	Velcro/PSA	TRJ24-16881345
180mm	40-320#	Velcro/PSA	TRJ24-16881346

### RED SANDING DISC



- **Material:** Aluminum oxide, C/D-wt paper.
- **Application:** Used together with polishing pad, grinding and polishing for wood, wall.

Size	Grit	Backing	Order No.
115mm	40-600#	Velcro/PSA	TRJ24-16881347
125mm	40-600#	Velcro/PSA	TRJ24-16881348
150mm	40-600#	Velcro/PSA	TRJ24-16881349
180mm	40-600#	Velcro/PSA	TRJ24-16881350

### SILICON CARBIDE



Size	Grit	Backing	Order No.
115mm	40-320#	Velcro/PSA	TRJ24-16881351
125mm	40-320#	Velcro/PSA	TRJ24-16881352
150mm	40-320#	Velcro/PSA	TRJ24-16881353
180mm	40-320#	Velcro/PSA	TRJ24-16881354

- Sharp silicon carbide grain cuts fast while minimizing heat.
- Designed for use on glass, mirror, and stone.


### CERAMIC



Size	Grit	Backing	Order No.
115mm	40-600#	Velcro/PSA	TRJ24-16881355
125mm	40-600#	Velcro/PSA	TRJ24-16881356
150mm	40-600#	Velcro/PSA	TRJ24-16881357
180mm	40-600#	Velcro/PSA	TRJ24-16881358

- Whitewood and metal, excellent cut rate and lifetime.

### FILM



Size	Grit	Backing	Order No.
115mm	40-2000#	Velcro/PSA	TRJ24-16881359
125mm	40-2000#	Velcro/PSA	TRJ24-16881360
150mm	40-2000#	Velcro/PSA	TRJ24-16881361
180mm	40-2000#	Velcro/PSA	TRJ24-16881362

- Outstanding performance on demanding applications such as hard tooling gelcoats and the latest scratch resistant automotive clear coats.

# SHARPENING STONE PARTS

Hook and loop backing sandpaper assortment provides quick and easy to install and remove, also will not fall off when installed in long-time use, grit is printed on each fine sandpaper's backside, easy to identify.

## MOUSE VELCRO DISC




Size	Grit	Order No.
90x140mm	40-600#	TRJ24-16881363
100x140mm	40-600#	TRJ24-16881364

## MOUSE VELCRO DISC



Size	Grit	Order No.
95x140mm	40-600#	TRJ24-16881365
105x180mm	40-600#	TRJ24-16881366

## SANDING SHEETS




Size	Grit	Order No.
93x185mm	40-600#	TRJ24-16881367
93x230mm	40-600#	TRJ24-16881368

**BACKING:** hook and loop, easy and quick to stick, sturdy, durable and practical

Made of high quality alumina abrasive, the sandpaper is durable and antistatic, ideal for sanding and polishing.

Come with coarse, medium, fine grades, widely used in the grinding and polishing of metal and non-metal, wood, rubber, leather, plastic, stone, glass and other materials.



**Durable and anti-static aluminum oxide grain**

**High tear resistance and edge stability**

**Dust extraction across the holes**



### WIDE APPLICATION




# SANDING MESH

Multifunctional net sanding material, super anti-clogging effect can effectively reduce dust deposition. It has better grinding effect and a longer lifespan than traditional abrasives, making it a cost effective solution. Virtually dust-free sanding, can be used with portable or other vacuuming systems.

Provide you a cleaner and healthier working environment.

## VELCRO SANDING MESH



**Material:**  
Aluminum oxide/silicon carbide.

**Application**  
Widely used for sanding treatment of dry board.

Size	Grit	Order No.
115mm	40-600#	TRJ24-16881369
125mm	40-600#	TRJ24-16881370
150mm	40-600#	TRJ24-16881371
180mm	40-600#	TRJ24-16881372

## SANDING MESH



**Material:**  
Aluminum oxide/silicon carbide.

**Application**  
Remove residue and renew appearance for tube to maintain a clean smooth surface.

Size	Grit	Order No.
115mmx5m	40-600#	TRJ24-16881373
125mmx5m	40-600#	TRJ24-16881374
115mmx10m	40-600#	TRJ24-16881375
125mmx10m	40-600#	TRJ24-16881376


## DRYWALL SANDING DISC



**Material:**  
Aluminum oxide/silicon carbide.

**Application**  
Sanding discs have perforated holes throughout the surface to allow dust to easily escape and eliminate load-up.

Size	Grit	Order No.
115mm	40-400#	TRJ24-16881377
125mm	40-400#	TRJ24-16881378
150mm	40-400#	TRJ24-16881379
180mm	40-400#	TRJ24-16881380
225mm	40-400#	TRJ24-16881381



Positive Sanding

Reverse Flocking



The open grille base is very suitable and dust-free sanding. Remove rust, paint, burrs, solder joints, etc. on various complex surfaces.

## WIDE APPLICATION



# SANDING BELTS



**Material:** Aluminium oxide, silicon carbide, zirconium, ceramic, non-woven and diamond.  
**Joint:** Overlap, Butt, Z-lock butt.



Z-lock butt



Butt Joint



Overlap Joint

Material	Width	Length	Grit	Order No.
Aluminium Oxide	10-1380mm	330-7000mm	40-600#	TRJ24-16881382
Silicon Carbide	10-1380mm	330-7000mm	24-600#	TRJ24-16881383
Zirconium	10-600mm	330-7000mm	40-120#	TRJ24-16881384
Ceramic	10-600mm	330-7000mm	40-120#	TRJ24-16881385
Non-woven	10-1380mm	150-7000mm	Coarse Medium Fine	TRJ24-16881386
Diamond	5-350mm	150-3000mm	60-3000#	TRJ24-16881387

- A wide range of coated abrasive belts for different industries, including narrow belts for a portable machine or wide belts for stainless steel coil finishing.

- With the size ranging from 1/8" wide to 600" length in multiple grains and backings, we can deliver nearly any belt needed for your required application.

- Works with an assortment of belt sanding machines and applications.

## ALUMINIUM OXIDE SANDING BELTS

## SILICON CARBIDE SANDING BELTS



- It is mainly used for wood / aluminum / metal / glass / plastic / stone ect. Works with an assortment of belt sanding machines and applications.
- Providing a heavy duty stripping and sanding tool for wood, aluminum, fiberglass, rubber, plastic and non-ferrous metals.

- Silicon carbide provides a extremely sharp cut on hard surfaces.
- Fully waterproof material. Can be run wet or dry. Heavy backing.
- Suitable for grinding nonferrous materials such as brass, copper, bronze, and wood, glass, rubber and plastics. It is also used to finish polyurethanes, primers, lacquers and sealers.

### Regular Sizes

Order No. TRJ24-16881388

13x451mm	65x410mm	100x610mm	150x1820mm	150x2000mm
13x457mm	75x457mm	100x620mm	200x475mm	170x1500mm
13x530mm	75x533mm	100x910mm	200x480mm	20x520mm
13x610mm	75x480mm	100x915mm	200x550mm	25x762mm
50x686mm	75x510mm	100x1500mm	200x592mm	50x458mm
60x400mm	100x552mm	150x1220mm	200x750mm	50x500mm
65x400mm	100x560mm	150x1600mm	200x1524mm	50x686mm

## ZIRCONIUM SANDING BELTS



- Used for grinding hard metal, such as plate work, casting, and grinding burr, beveling, coarse line, suitable for abrading bridge welding joint, precise casting's burr.
- Suitable for heavy load grinding such as titanium alloy, stainless steel and alloy steel.

## CERAMIC SANDING BELTS



- Hand grinding and polishing
- For metal, wood, ceramics, rubber, wood, leather grinding and polishing.
- Glass, stone, granite, cement, composites, plastics and light metal finishing.
- Heavy duty industrial grade Y-weight polyester cloth.

## NON-WOVEN SANDING BELTS      PYRAMID SANDING BELT      DIAMOND SANDING BELTS



- Great multi-purpose belt, ideal for cleaning, finishing, blending and deburring, nylon film backing is stretch resistant for close, ongoing cutting action.
- The film backed belts work great on stroke sanders when reduced friction on the back of the belt is desired.



- Excellent for sharpening steel knives | Ideal for finishing soft metals (Copper, Aluminum, Brass, etc.) | Also great for fine finishing of hard metals (Stainless Steel, Carbon, etc.)
- Pyramid shaped aluminum oxide abrasive breaks down under pressure, exposing fresh, sharp cutting surfaces as it wears
- Durable, full flex, JE Weight Rayon cloth backing easily conforms to contoured surfaces



- Diamond sanding abrasive belt is a kind of coated abrasive tool, which is super hard material (synthetic diamond) abrasive particles adhesive to the flexible base by the bond.
- Diamond sanding abrasive belt can be widely used for grinding steel, stone, glass, ceramics, beryllium alloy, titanium alloy and etc.



### Regular Sizes

Order No. TRJ24-16881389

13x451mm	65x410mm	100x610mm	150x1820mm	150x2000mm
13x457mm	75x457mm	100x620mm	200x475mm	170x1500mm
13x530mm	75x533mm	100x910mm	200x480mm	20x520mm
13x610mm	75x480mm	100x915mm	200x550mm	25x762mm
50x686mm	75x510mm	100x1500mm	200x592mm	50x458mm
60x400mm	100x552mm	150x1220mm	200x750mm	50x500mm
65x400mm	100x560mm	150x1600mm	200x1524mm	50x686mm

# COMPACT GRAIN ABRASIVE CLOTH




**Compact grain abrasive cloth** is made by evenly planting compact grain abrasive on the cloth backing using organic polymer binder and other related materials as bonding material.



The compact grain has multiple cutting edges combined in one grain. The compact grain incorporates abrasive grain and fillers which are bonded using a polyurethane system. This combination ensures the tool always has sharp grain particles during the polishing/grinding application. This allows for a cool polish/grind and reduces the possibility of clogging, especially when working on soft materials.

## Self sharpening Process of Compact Grain



Abrasive grains within the granulate performs the stock removal. When the grain starts to wear, it breaks off from the granulate formation and new, sharp grains start to grind.

- Long tool life.
- Remove defects prior to polishing.
- Removes paint, undercoats and rust.
- Preparing surfaces for final polish.
- Cool grinding/polishing action.
- Innovative compact grain and bonding system.
- Suitable for many workpiece materials (stainless steel, cast materials, aluminum, titanium, steel).



Conventional Sanding Belt



Compact Grain Sanding Belt



## Regular Sizes

Order No. TRJ24-16881390

13x451mm	65x410mm	100x610mm	150x1820mm	150x2000mm
13x457mm	75x457mm	100x620mm	200x475mm	170x1500mm
13x530mm	75x533mm	100x910mm	200x480mm	20x520mm
13x610mm	75x480mm	100x915mm	200x550mm	25x762mm
50x686mm	75x510mm	100x1500mm	200x592mm	50x458mm
60x400mm	100x552mm	150x1220mm	200x750mm	50x500mm
65x400mm	100x560mm	150x1600mm	200x1524mm	50x686mm

# SAND PAPER SERIES

High quality sanding sheets have been engineered using the most sophisticated consistent finishing and extra long life. Use on wood, fillers, sealers, ferrous and non-ferrous metals. Use also for body production techniques shop work when sanding paint, varnish, plastics, fiberglass, marbles, ceramics, ferrous and non-ferrous metals.



Wood sand paper is environmental protection products, mainly used for polishing wood and painted surface, only dry sanding.

## FLINT PAPER

**Material:**  
Silica or glass abrasive. B-wt paper.

**Application:**  
Grinding and polishing for wood and paint removal.



## A/O SAND PAPER

**Material:**  
Garnet or aluminium oxide, C-wt paper.

**Application:**  
Grinding and polishing for wood, glass and paint.



## W/C SAND PAPER

**Material:**  
White corundum, C/D-wt paper or white paper.

**Application:**  
Wood, paint and iron rust removal, etc.



## COATED SAND PAPER

**Material:**  
Aluminum oxide abrasive, C-wt paper.


**Application:**  
Grinding for wood, furniture and painted surface.



## COATED SAND PAPER

**Material:**  
Silicon carbide, C-wt paper.


**Application:**  
Grinding and polishing for automobile, furniture and mechanical parts.



## LATEX PAPER

**Material:**  
White corundum, C/D-wt paper or white paper.

**Application:**  
Grinding for the car and the manual lacquer removal of the woodwork and plastic product.



Waterproof and tensile resistant technology enables these abrasive paper sheets sturdy and lasts for a long time using in your projects, and they can be used for both wet and dry purposes.

## ALUMINIUM OXIDE

**Material:**  
Aluminum oxide abrasive, C-wt paper.

**Application:**  
Grinding and polishing for wood, metal and painting.



## SILICON CARBIDE

**Material:**  
Silicon carbide, C/D-wt paper.

**Application:**  
Grinding and polishing for automobile, leather and mechanical parts.



## LATEX PAPER

**Material:**  
Aluminum oxide / Silicon carbide, C-wt imported latex paper.

**Application:**  
Fine grinding for automobile, manual paint removal for wood and plastic.



**Size**  
230x280mm

**Grit**  
40-2000#

**Order No.**  
TRJ24-16881391

## ALUMINIUM OXIDE

**Material:**  
Aluminum oxide abrasive, C-wt paper.

**Application:**  
Grinding and polishing for wood, metal and painting.



## WHITE ALUMINIUM OXIDE

**Material:**  
White aluminum oxide, C/D-wt paper.

**Application:**  
Grinding and polishing for wood in European and American markets.



## SILICON CARBIDE

**Material:**  
Aluminum oxide / silicon carbide abrasive, C-wt imported latex paper.

**Application:**  
Grinding and polishing for automobile, leather and mechanical parts.



## ALUMINIUM OXIDE SAND PAPER ROLL

**Material:**  
Aluminum oxide abrasive, C/D/E-wt paper.

**Application:**  
Used for all wood, nonmetal putty, glass and cosmetic sanding.

Size	Grit	Order No.
50/100/115/200mmx5/10/50m	40-600#	TRJ24-16881392



## CERAMIC



**Material:**  
Ceramic abrasive grain, X-wt cloth.

**Application:**  
sanding pre-finished floors, hardwood floors, exotic woods.

## ZIRCONIA



**Material:**  
Zirconia corundum, J-wt cloth.

**Application:**  
Grinding and polishing for wood, metal and furniture.

## SILICON CARBIDE



**Material:**  
Silicon carbide, J-wt cloth.

**Application:**  
Grinding and polishing for wood, metal and furniture.

## ALUMINIUM OXIDE SANDING CLOTH ROLL

**Material:**  
Aluminium oxide, J-wt cloth.

**Application:**  
Grinding and polishing for wood, metal and furniture.

Size	Grit	Order No.
50/100/115/200mmx5/10/50m	40-320#	TRJ24-16881393



# ABRASIVE SANDING SPONGE

## MATERIAL:

Aluminium oxide or black silicon carbide, closed coated.

## SPONGE TYPES:

Soft sponge, medium sponge, hard sponge, superhard sponge, EVA, sponge can be colorful.

## APPLICATION:

For polishing wood, metal, paint, plastic, and drywall Flexible, washable and durable.

## ABRASIVE SANDING SPONGE



Size	Density	Grit	Order No.
100x70x25mm	Hard	40-240#	TRJ24-16881394
100x70x25mm	Medium	40-240#	TRJ24-16881395
100x70x25mm	High	40-240#	TRJ24-16881396
100x70x25mm	Super high	40-240#	TRJ24-16881397

## EVA SANDING SPONGE



Size	Density	Grit	Order No.
100x70x25mm	EVA	40-240#	TRJ24-16881398
100x70x25mm	EVA	40-240#	TRJ24-16881399
100x70x25mm	EVA	40-240#	TRJ24-16881400
100x70x25mm	EVA	40-240#	TRJ24-16881401



# ABRASIVE SANDING SPONGE

## BEVEL EDGE SANDING SPONGE



Size	Density	Grit	Order No.
125x90x25mm	Hard	40-240#	TRJ24-16881402
125x90x25mm	Medium	40-240#	TRJ24-16881403
125x90x25mm	High	40-240#	TRJ24-16881404
125x90x25mm	Super high	40-240#	TRJ24-16881405

## FOAM PAD



Size	Density	Grit	Order No.
140x115x5mm	Micro fine	120-2000#	TRJ24-16881406
140x115x5mm	Ultra fine	120-2000#	TRJ24-16881407
140x115x5mm	Super fine	120-2000#	TRJ24-16881408



## POLYESTER FILM SANDING SPONGE



Size	Color	Grit	Order No.
120x100x12mm	Black	60-400#	TRJ24-16881409
120x100x12mm	Orange	60-400#	TRJ24-16881410
120x100x12mm	Green	60-400#	TRJ24-16881411
120x100x12mm	Purple	60-400#	TRJ24-16881412

## ULTRA-FLEXIBLE SANDING SPONGE BLOCK



Size	Density	Grit	Order No.
100x70x25mm	Hard	40-240#	TRJ24-16881413
100x70x25mm	Medium	40-240#	TRJ24-16881414
100x70x25mm	High	40-240#	TRJ24-16881415
100x70x25mm	Super high	40-240#	TRJ24-16881416



# STEEL WOOL



**Steel Wool** is a polishing material mainly used for the grinding and polishing of stone products (steel wool and wax can be used for polishing), metal products and wood products. Steel wool is also steel fiber and steel wool. It is composed of low-carbon steel made of 0.125---0.189 mm filaments.

It has good softness, abrasion resistance is better than cotton and linen fiber, and has abrasive polishing performance. It can replace sandpaper and emery cloth for surface polishing and polishing of wood products, metal products, and decorative engineering.



**4#** coarsest: applicable to remove stubborn old paint, corrosion, dirt, varnish.



**3#** very coarse: applicable to remove paint, varnish, and lacquer



**2#** coarser: suitable for hard coatings or porcelain and metal surface etching, remove the wax in the floor.



**1#** coarse: suitable for the flat wood high texture and underlying surface treatment before plating.



**0#** routine: Applicable to polish pot, basin, cutlery boxes, metal surfaces.



**00#** fine: Suitable for grinding and modified aluminum, copper, brass and other smooth metal.



**000#** very fine: suitable for grinding the nuances of different coating defects, remove paint and stain.



**0000#** finest: suitable for large shopping mall and high-grade hotel equipment such as cleaning, and advanced stone material such as polishing products processing industry and automobile industry, etc.

Weight	Grit	Order No.
100/120/150/1200/2000g	4# coarsest	TRJ24-16881417
100/120/150/1200/2000g	3# very coarse	TRJ24-16881418
100/120/150/1200/2000g	2# coarser	TRJ24-16881419
100/120/150/1200/2000g	1# coarse	TRJ24-16881420
100/120/150/1200/2000g	0# routine	TRJ24-16881421
100/120/150/1200/2000g	00# fine	TRJ24-16881422
100/120/150/1200/2000g	000# very fine	TRJ24-16881423
100/120/150/1200/2000g	0000# finest	TRJ24-16881424




**PEXCRAFT®**

# CUTTING & GRINDING

# EXTRA HIGH-PERFORMANCE THIN CUTTING DISC

- For aggressive and high cutting speed performance.
- Extra-thin cutting disc offering a long lifetime and excellent price-performance ratio.



1 Material	2 Available In Grits			3 Hardness grade	
	Coarse	Medium	Fine	Soft	H,J,K
<b>A</b> Aluminium Oxide				Medium	L,M,N
<b>Z</b> Zirconium Alumina	16	30	70	Medium	P,Q,R,S
<b>C</b> Black Silicon Carbide	20	36	90	Hard	T,Y,Z
<b>WA</b> White Aluminium Oxide	24	40	100	Hard	reinforced
<b>ZA</b> ZrAl&Aluminium Oxide		46	120	Fibre	Resinoid
		54	150		
		60	220	BF	bond BF



## HIGH-PERFORMANCE



**METAL/STAINLESS STEEL**  
Ferrous Metals, Iron, Steel, Stainless Steel, and Other High Tensile Alloys.



Dia.	Thickness	Bore	Max. RPM	Order No.
115mm	1.0mm	22.2mm	13300	TRJ24-16881425
125mm	1.0mm	22.2mm	12200	TRJ24-16881426

## GENERAL PURPOSE



**Ferrous metals**  
(steel, iron, welds, etc.)

Combines fast cutting with extremely long life for general purpose cutting applications.



Dia.	Thickness	Bore	Max. RPM	Order No.
100mm	1.6mm	16mm	15200	TRJ24-16881427
115mm	1.2mm	22.22mm	13300	TRJ24-16881428
115mm	2.0mm	22.22mm	13300	TRJ24-16881429
115mm	3.0mm	22.22mm	13300	TRJ24-16881430
125mm	1.2mm	22.22mm	12200	TRJ24-16881431
125mm	1.6mm	22.22mm	12200	TRJ24-16881432
125mm	2.0mm	22.22mm	12200	TRJ24-16881433
125mm	3.0mm	22.22mm	12200	TRJ24-16881434
150mm	1.6mm	22.22mm	10200	TRJ24-16881435
150mm	3.0mm	22.22mm	10200	TRJ24-16881436
180mm	1.6mm	22.22mm	8600	TRJ24-16881437
180mm	2.0mm	22.22mm	8600	TRJ24-16881438
180mm	3.0mm	22.22mm	8600	TRJ24-16881439
230mm	1.9mm	22.22mm	6600	TRJ24-16881440
230mm	2.0mm	22.22mm	6600	TRJ24-16881441
230mm	3.0mm	22.22mm	6600	TRJ24-16881442

## PREMIUM GENERAL PURPOSE



**Stainless steel, high tensile alloys**

This reinforced wheel works great whether cutting carbon steel, stainless steel, aluminum or metals and its ultra-thin design minimizes material loss while maximizing precision.



Dia.	Thickness	Bore	Max. RPM	Order No.
100mm	1.6mm	16mm	15200	TRJ24-16881443
115mm	1.2mm	22.22mm	13300	TRJ24-16881444
115mm	2.0mm	22.22mm	13300	TRJ24-16881445
115mm	3.0mm	22.22mm	13300	TRJ24-16881446
125mm	1.2mm	22.22mm	12200	TRJ24-16881447
125mm	1.6mm	22.22mm	12200	TRJ24-16881448
125mm	2.0mm	22.22mm	12200	TRJ24-16881449
125mm	3.0mm	22.22mm	12200	TRJ24-16881450
150mm	1.6mm	22.22mm	10200	TRJ24-16881451
150mm	3.0mm	22.22mm	10200	TRJ24-16881452
180mm	1.6mm	22.22mm	8600	TRJ24-16881453
180mm	2.0mm	22.22mm	8600	TRJ24-16881454
180mm	3.0mm	22.22mm	8600	TRJ24-16881455
230mm	1.9mm	22.22mm	6600	TRJ24-16881456
230mm	2.0mm	22.22mm	6600	TRJ24-16881457
230mm	3.0mm	22.22mm	6600	TRJ24-16881458

# EXTRA HIGH-PERFORMANCE THIN CUTTING DISC

- For aggressive and high cutting speed performance.
- Extra-thin cutting disc offering a long lifetime and excellent price-performance ratio.

## GRINDING DISC-METAL



### Ferrous metals (steel, iron, welds, etc.)

Proprietary aluminum oxide grain combination for aggressive grinding action, proprietary material mix ensures durable long life wheels. High-performance rough grinding disc offering superior stock removal, good lifetime and good price.

Dia.	Thickness	Bore	Max. RPM	Order No.
100mm	6.0mm	16mm	15200	TRJ24-16881459
115mm	6.0mm	22.22mm	13300	TRJ24-16881460
125mm	6.0mm	22.22mm	12200	TRJ24-16881461
150mm	6.0mm	22.22mm	10200	TRJ24-16881462
180mm	6.0mm	22.22mm	8600	TRJ24-16881463
230mm	6.0mm	22.22mm	8600	TRJ24-16881464



## MINI CUTTING DISC



### Metals (steel, iron, welds, etc.)

Allows operator to use cut-off wheel completely up, and not waste usable portion like traditional cut-offwheels do in non-ferrous metals.



Dia.	Thickness	Bore	Max. RPM	Order No.
75mm	1.0mm	10mm	18000	TRJ24-16881471

## LARGE DIAMETER CUTTING WHEELS



### Stainless steel, high tensile alloys Ferrous metals (steel, iron, welds, etc.)

Heavy-duty stationary cutting disc with rugged exterior reinforcement for safe cutting. The wheel of choice For solids and stainless steel tubing stationary, high-efficiency cutting disc.

Dia.	Thickness	Bore	Max. RPM	Order No.
300mm	2.5mm	25.4mm	5100	TRJ24-16881472
300mm	3.0mm	25.4mm	5100	TRJ24-16881473
300mm	3.0mm	32mm	5100	TRJ24-16881474
350mm	2.5mm	25.4mm	4400	TRJ24-16881475
350mm	2.5mm	32mm	4400	TRJ24-16881476
350mm	3.0mm	25.4mm	4400	TRJ24-16881477
350mm	3.0mm	32mm	4400	TRJ24-16881478
400mm	3.0mm	25.4mm	3800	TRJ24-16881479
400mm	3.0mm	32mm	3800	TRJ24-16881480

## GRINDING DISC-STAINLESS



### Stainless steel, hightensile alloys

Fast removal rates and long life on both steel and stainless steel. Outstanding life in both steel and stainless steel.

Dia.	Thickness	Bore	Max. RPM	Order No.
100mm	6.0mm	16mm	15200	TRJ24-16881465
115mm	6.0mm	22.22mm	13300	TRJ24-16881466
125mm	6.0mm	22.22mm	12200	TRJ24-16881467
150mm	6.0mm	22.22mm	10200	TRJ24-16881468
180mm	6.0mm	22.22mm	8600	TRJ24-16881469
230mm	6.0mm	22.22mm	8600	TRJ24-16881470



## CUP GRINDING WHEELS



- Combination of aluminium oxide and silicon carbide grains.
- Excellent for cleaning casting, mold marks, and removing flashing


Size	Material	Bore	Order No.
100x50mm	Aluminium oxide/Silicon carbide	16mm	TRJ24-16881481
115x50mm	Aluminium oxide/Silicon carbide	22.2mm	TRJ24-16881482
125x50mm	Aluminium oxide/Silicon carbide	22.2mm	TRJ24-16881483
150x50mm	Aluminium oxide/Silicon carbide	22.2mm	TRJ24-16881484

## SEMI-FLEX POLISHING DISCS




- For metal work with angle grinders. cleaning of surface imperfections in iron, stainless steel, copper, bronze or aluminium.
- For soft stones and plastic materials use with angle grinders. cleaning of surface imperfections in marble, concrete, terrazzo, ceramic tiles, glass fiber and glue.

Size	Material	Bore	Order No.
100mm	Black silicon carbide	16mm	TRJ24-16881485
115mm	Black silicon carbide	22.2mm	TRJ24-16881486
125mm	Black silicon carbide	22.2mm	TRJ24-16881487
180mm	Black silicon carbide	22.2mm	TRJ24-16881488



**For Polishing Metal**  
**Ferrous Metals, Iron, Steel**

## SILICON CARBIDE GRINDING WHEEL



- Bench grinding wheel are offered in aluminium oxide and in silicon carbide in a wide selection of sized and grits.
- Designed for use on bench and pedestal grinders, high performance on a multitude of application.

Size	Material	Bore	Order No.
125x13mm	Aluminium oxide/Silicon carbide	25.4mm	TRJ24-16881489
150x20mm	Aluminium oxide/Silicon carbide	25.4mm	TRJ24-16881490
200x32mm	Aluminium oxide/Silicon carbide	32mm	TRJ24-16881491
250x32mm	Aluminium oxide/Silicon carbide	32mm	TRJ24-16881492



TRJ24-16881493

- Mounted points made from pink aluminum oxide for steel and cast steel.
- For the preparation of weld seams, processing of weld seams.
- Rough machining to fine processing.
- For deburring and buffing.



A-1

Size:20x65mm



A-2

Size:25x30mm



A-3

Size:25x70mm



A-4

Size:32x32mm



A-5

Size:20x30mm




A-6

Size:20x45mm




A-7

Size:18x30mm




A-8

Size:30x30mm




A-9

Size:18x22mm



A-10

Size:25x25mm




A-11

Size:20x25mm



A-12

Size:06x20mm




A-13

Size:25x25mm




A-14

Size:16x16mm



A-15

Size:35x25mm




A-16

Size:40x10mm




A-17

Size:30x06mm



A-18

Size:25x25mm



A-19

Size:20x20mm

5PCS MOUNTED SET



Order No. ABR21-1688136

10PCS MOUNTED SET



Order No. ABR21-1688136



- 1 Premium White Aluminum Oxide Sharpening Stone
- 2 Non-slip Base
- 3 Bamboo Base
- 4 Angle Guide
- 5 Polishing Wax
- 6 Leather Strop
- 7 Silicon Carbide Flattening Stone
- 8 White Aluminum Oxide Flattening Stone
- 9 Cut Resistant Gloves



TRJ24-16881494



TRJ22-16881806


Made with premium quality whetstone, known for its strength, is often a substitute for industrial diamond as an abrasive. Double-sided for both coarse and fine sharpening. The color of whetstone is customized.

GRIT: 240 400 600 1000 1500 2000 3000 4000 5000 6000 8000 10000

## OTHER SHARPENING STONE

### ALUMINIUM OXIDE SHARPENING STONE

TRJ24-16881495  
Size: 200x50x25mm



Grit: 180/240, 240/320  
Made from aluminum oxide or silicon carbide oxide.  
Ideal for sharpening knives, hatchets and small hand tools.

### DUAL GRIT SHARPENING PUCK



TRJ24-16881496

#240/#400, Blue/White
#180/#600, Orange/ White
#150/#320, Grey/ Black

### OVAL SHARPENING STONE



Size	Grit	Order No.
200x35x13mm	60-320#	TRJ24-16881497
230x35x13mm	60-320#	TRJ24-16881498

## POPULAR SETS



TRJ24-16881499



TRJ24-16881500



TRJ24-16881501

# DIAMOND SHARPENING STONE

TRJ22-16881815

Size: 200x70x8mm, 180x60x8mm



TRJ24-16881502



TRJ24-16881503

- ▶ Made from high quality diamonds, these stones will quickly sharpen anything with a cutting edge including ceramic, stainless steel and high carbon blades.
- ▶ The unique diamond pattern eliminates the tendency to clog and allows the sharpening surface to remain clear.

## OTHER SHARPENER

### DIAMOND POCKET FOLDING SHARPENER

Folding Length: 125mm  
Spread Length: 225mm



anti-skid



TRJ24-16881504

### MINI KNIFE SHARPENER WITH SUCTION PAD

Material: ABS+TUNGSTEN STEEL+PVC Pad  
Size: 60x60x70mm

TRJ24-16881506



### 2 STAGES COARSE + FINE SHARPENING OUTDOOR USE

TRJ24-16881505

Material: Ceramic+Tungsten steel+Aluminium

Size: 75x25x6.35mm



### DIAMOND SHARPENING STONE

TRJ24-16881507

Size: 280x55x20mm





# ROLLING KNIFE SHARPENER WITH 15 & 20 DEGREES




The sharpener has the flexibility to satisfy individual requirements in knife sharpening with interchangeable grinding discs and a Magnetic Angle Support with a 15° angle for a fine edge and a 20° angle for a robust blade.

TRJ24-16881508


## DIAMOND SHARPENING ROD

TRJ24-16881509



## DIAMOND CERAMIC ROD

TRJ24-16881510



- ▶ Grit:600 grit
- ▶ Available size:8 inch, 10 inch, 12 inch
- ▶ Material: Stainless Steel with Diamond Coating + Plastic Handle
- ▶ Features: Oval-shaped sharpening bar makes your sharpening process easy and efficient.

- ▶ Grit:600 grit
- ▶ Available size 8 inch, 10 inch, 12 inch
- ▶ Material: Ceramic Material
- ▶ Features: oval-shaped sharpening bar makes your sharpening process easy and efficient.

## CYLINDER BUFFS



## TAPERED BUFFS



Size	Shaft	Material	Color	Max.RPM	Order No.
38mm	6mm	Cotton	White	4500	TRJ24-16881511
50mm	6mm	Cotton	White	4500	TRJ24-16881512
60mm	6mm	Cotton	White	4500	TRJ24-16881513
65mm	6mm	Cotton	White	4500	TRJ24-16881514

Size	Shaft	Material	Color	Max.RPM	Order No.
38mm	6mm	Cotton	White	4500	TRJ24-16881515
50mm	6mm	Cotton	White	4500	TRJ24-16881516
60mm	6mm	Cotton	White	4500	TRJ24-16881517
65mm	6mm	Cotton	White	4500	TRJ24-16881518

## MOUNTED COTTON WHEELS



## MUSHROOM COTTON WHEELS



Size	Shaft	Material	Color	Max.RPM	Order No.
50mm	6mm	Cotton	White	4500	TRJ24-16881519
75mm	6mm	Cotton	White	4500	TRJ24-16881520
100mm	6mm	Cotton	White	4500	TRJ24-16881521
120mm	6mm	Cotton	White	4500	TRJ24-16881522

Size	Shaft	Material	Color	Max.RPM	Order No.
50mm	6mm	Cotton	White	4500	TRJ24-16881523
75mm	6mm	Cotton	White	4500	TRJ24-16881524
100mm	6mm	Cotton	White	4500	TRJ24-16881525
125mm	6mm	Cotton	White	4500	TRJ24-16881526



- For final polishing of interior, flat and irregular surfaces.
- Suitable for metal, jewelry, metal, stainless steel, aluminum, wood, plastics, ceramics, glass and watches industry grinding and polishing process.
- Together with the use polishing wax would be better.

## 7PCS COTTON WHEEL SET



Size	Shaft	Shape	Max.RPM	Order No.
50mm	6mm	Mushroom	4500	TRJ24-16881527
50mm	6mm	Mushroom	4500	TRJ24-16881528
75mm	6mm	Mushroom	4500	TRJ24-16881529
50mm	6mm	Cylinder	4500	TRJ24-16881530
75mm	6mm	Cylinder	4500	TRJ24-16881531
50mm	6mm	Tapered	4500	TRJ24-16881532
75mm	6mm	Tapered	4500	TRJ24-16881533

## 8PCS COTTON WHEEL SET



Size	Shaft	Shape	Max.RPM	Order No.
35mm	6mm	Mushroom	4500	TRJ24-16881534
50mm	6mm	Mushroom	4500	TRJ24-16881535
75mm	6mm	Mushroom	4500	TRJ24-16881536
50mm	6mm	Cylinder	4500	TRJ24-16881537
75mm	6mm	Cylinder	4500	TRJ24-16881538
50mm	6mm	Tapered	4500	TRJ24-16881539
75mm	6mm	Tapered	4500	TRJ24-16881540
75mm	6mm	Wheel	4500	TRJ24-16881541

**100%  
COTTON  
BUFFS**

1/4" Round Shank



3/8" Hex Shank

### PACKAGE WAY



Double blister:



Nylon bag:


- **Wide Application:** Buffing wheel for drill ,wheel polishing kit Work with most all drills to polishing metal and non-metal products such as manifold, aluminum, stainless steel, copper, wood, chrome, plastics, ceramics, glass, jewelry products etc.
- **Shine your faded wheel:** Different shapes and sizes of polishing wheels can be used to polishing contours, holes and crevices. Specially designed for polishing
- **Non Slip:** These polishing buffing wheel for drill has 1/4" (6mm) hex shaft, can prevent polishing wheel slip during work.

## COTTON BUFFING WHEEL



Size	Material	Color	Order No.
100mm	Cotton	White/Yellow	TRJ24-16881542
125mm	Cotton	White/Yellow	TRJ24-16881543
200mm	Cotton	White/Yellow	TRJ24-16881544
250mm	Cotton	White/Yellow	TRJ24-16881545
300mm	Cotton	White/Yellow	TRJ24-16881546

- Heavy-duty buffing and polishing power for precious metals, stainless steel, chrome, aluminum.
- 50 layers coarse yellow cotton muslin has superior cutting power removing scratches, imperfections.
- Triple-stitched construction adds firmness and durability, leather reinforced arbor holes.



## POLISHING COMPOUND



Coarse To Fine



Black Emery    Brown Tripoli    White Diamond    Green Stainless    Red Rouge    All Purpose Blue

Color	Weight	Order No.
Black	30g/50g ....	TRJ24-16881547
Brown	30g/50g ....	TRJ24-16881548
White	30g/50g ....	TRJ24-16881549
Green	30g/50g ....	TRJ24-16881550
Red	30g/50g ....	TRJ24-16881551
Blue	30g/50g ....	TRJ24-16881552

100% High-quality flannel with a special refining process, good polishing, after polishing surface fine bright.

Fabric layers edge had raising treatment, suitable for metal, jewelry, metal, stainless steel, aluminum products, wood, plastics, ceramics, glass and watches industry of surface grinding and polishing.

## NON WOVEN BUFFING WHEEL



Shape	Color	Material	Grit	Order No.
Mushroom	Red/Green	Non woven	400/320/180#	TRJ24-16881553
Cylinder	Red/Green	Non woven	400/320/180#	TRJ24-16881554
Tapered	Red/Green	Non woven	400/320/180#	TRJ24-16881555

### Features:

- Guaranteed 100% burr-free use.
- Open structure: no clogging up.
- 6mm Diameter Arbor Fits Most Power Drills.
- Minimal material removal and a perfect finish.
- Water-resistant: can be used with cooling agents.
- The nylon has a high level of resistance to pulling and ripping.
- These sanding mops are constructed from nylon web, impregnated with abrasive grains.

## SINGLE-SIDE WOOL PAD



It fits for cutting, buffing and polishing with compounds, polishes and glazes. Almost all kinds of car polishing machine perfectly.

Size	Material	Color	Order No.
125mm	Natural Wool	White	TRJ24-16881556
150mm	Natural Wool	White	TRJ24-16881557
180mm	Natural Wool	White	TRJ24-16881558
230mm	Natural Wool	White	TRJ24-16881559

## DOUBLE-SIDE WOOL PAD



The double-sided pad features a stiff, durable center hub that supports the wool abrasives during flat or aggressive compounding procedures. Its 100 percent untwisted wool yarn construction features looser, more spread-out fibers. This creates a fuller pad for good handling across larger surface areas.

Size	Material	Color	Order No.
125mm	Natural Wool	White	TRJ24-16881560
150mm	Natural Wool	White	TRJ24-16881561
180mm	Natural Wool	White	TRJ24-16881562
230mm	Natural Wool	White	TRJ24-16881563

## LAMBSWOOL POLISHING BONNET



Size	Material	Color	Order No.
115mm	Lambs Wool	White	TRJ24-16881564
125mm	Lambs Wool	White	TRJ24-16881565
150mm	Lambs Wool	White	TRJ24-16881566
180mm	Lambs Wool	White	TRJ24-16881567
230mm	Lambs Wool	White	TRJ24-16881568

## LAMBSWOOL PAD WITH VELCRO



Size	Material	Color	Order No.
115mm	Lambs Wool	White	TRJ24-16881569
125mm	Lambs Wool	White	TRJ24-16881570
150mm	Lambs Wool	White	TRJ24-16881571
180mm	Lambs Wool	White	TRJ24-16881572
230mm	Lambs Wool	White	TRJ24-16881573



## SHORT-HAIR WOOL FOAM PAD



- Can be used on car, boat, motor bike, also can do wax. It can bring out the highest level show car of shine with the ultra-smooth finishing polish pads.
- Excellent grinding feature, saving polishing wax compared to ordinary wool pad. Use a sponge buffer layer to reduce the risk of damaging paint and improve work efficiency.

Size	Material	Color	Order No.
100mm	Short-Hair Wool/Foam	White/Black	TRJ24-16881574
125mm	Short-Hair Wool/Foam	White/Black	TRJ24-16881575
150mm	Short-Hair Wool/Foam	White/Black	TRJ24-16881576
180mm	Short-Hair Wool/Foam	White/Black	TRJ24-16881577

## FELT DISC WITH VELCRO



The felt buffing wheel is applicable to pneumatic and electric rotary grinding machine, used for polishing and grinding of various materials such as mould, electronics, glass, gold and silver jewelry, plastic, stainless steel metal, etc.

Size	Material	Color	Order No.
50mm	Felt Wool	White	TRJ24-16881578
75mm	Felt Wool	White	TRJ24-16881579
100mm	Felt Wool	White	TRJ24-16881580
125mm	Felt Wool	White	TRJ24-16881581

## LONG-HAIR WOOL FOAM PAD




- Performance - Cuts like natural sheepskin but finishes like a foam pad. Aggressively removes P1500 grit scratches, leaving a lustrous finish with no hazing by reducing comp-ounding swirls.
- Dense Body - Foamed fibers resist caking and matting. Foaming process also creates minute air pockets at the base of the fibers, which improves cushioning and retention of compounds and polishes.
- Consistent Quality - Manufacturing process produces a uniform material, resulting in consistent pad performance unlike performance reducing variances that can occur with natural sheepskin pad.

Size	Material	Color	Order No.
100mm	Long-Hair Wool/Foam	Purple/Black	TRJ24-16881582
125mm	Long-Hair Wool/Foam	Purple/Black	TRJ24-16881583
150mm	Long-Hair Wool/Foam	Purple/Black	TRJ24-16881584
180mm	Long-Hair Wool/Foam	Purple/Black	TRJ24-16881585



TRJ24-16881586

- Wool fibers are highly compressed to produce versatile cleaning, polishing & buffing material.
- Used for fine grinding, make the surface of the workpiece get a high degree of finish.
- Can be used with electric drills, electric grinders or other rotary tools.
- Suitable for polishing of soft metals, stones, glass, wood, ceramics and nail art.






## Beveled Triangle Foam Pad



- There are five different colors of the sponge pad :  
Green/Yellow For Heavy Cut, Orange For Medium Cut, Blue For Light Cut, Red For Finish Polish and Waxing, Great for removing sun abuse, car scratches, headlight wearing and etc.
- Green/Yellow Heavy Cut pad is suitable for removing oxidation coating and moderate to light scratches. Orange polishing pad for removing sun abuse and swirl mark. Blue pad for polish. The red for finish polishing and waxing.




Size	Material	Color	Order No.
100mm	Germany Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881587
125mm	Germany Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881588
150mm	Germany Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881589
180mm	Germany Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881590
200mm	Germany Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881591







## Hex-logic Foam Pad



Size	Material	Color	Order No.
100mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881592
125mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881593
150mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881594
180mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881595
200mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881596

## Beveled Edge Flat Foam Pad



- Sponge pads of different colors have different hardness, which can achieve the integration of cutting, waxing, and polishing, quickly removing scratches, vortices, and wear on the car surface, making the car surface look new.
- The dimensions on both sides of the pad are different, and the front is slightly wider than the back, reducing friction between the pad itself and the car surface during the polishing process and protecting it from scratches. Ensure your safe and secure use.

Size	Material	Color	Order No.
100mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881597
125mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881598
150mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881599
180mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881600
200mm	Foam	Red/Blue/Orange/Yellow/Green	TRJ24-16881601

**FOAM PAD WITH BACKING PLATE**



Size	Material	Color	Thread	Order No.
100mm	Foam	Red/Orange/Black/Maroon	M14X2	TRJ24-16881602
125mm	Foam	Red/Orange/Black/Maroon	M14X2	TRJ24-16881603
150mm	Foam	Red/Orange/Black/Maroon	M14X2	TRJ24-16881604
180mm	Foam	Red/Orange/Black/Maroon	M14X2	TRJ24-16881605
200mm	Foam	Red/Orange/Black/Maroon	M14X2	TRJ24-16881606

**RECESSED BACKING FOAM PAD**



- Foam Edge Design – The design makes buffing under mirrors, door handles and trim much easier.
- Recessed Back – Allows precision alignment for perfect balance and eliminates the possibility of contact with an exposed backing plate.

Size	Material	Color	Order No.
150mm	Foam	White/Yellow/Green/Blue	TRJ24-16881607
180mm	Foam	White/Yellow/Green/Blue	TRJ24-16881608
200mm	Foam	White/Yellow/Green/Blue	TRJ24-16881609
230mm	Foam	White/Yellow/Green/Blue	TRJ24-16881610
250mm	Foam	White/Yellow/Green/Blue	TRJ24-16881611

**FOAM POLISHING CONE**



Size	Material	Color	Shaft	Order No.
80mm	Foam	Blue/Orange/Yellow	6mm	TRJ24-16881612

**FOAM POLISHING BALL**



Size	Material	Color	Order No.
80mm	Foam	Red/Yellow/Blue/Maroon	TRJ24-16881613
100mm	Foam	Red/Yellow/Blue/Maroon	TRJ24-16881614
125mm	Foam	Red/Yellow/Blue/Maroon	TRJ24-16881615



# MICROFIBER TOWEL

With High Performance



## WEFT / WARP KNITTED TOWEL

TRJ24-16881616



- **GSM:** 400
- **WEIGHT:** 120g
- **COLOR:** Blue/Purple/Royal Blue
- **FUTURE:** Compared with ordinary cotton, it has better water absorption, strong decontamination and durability, thick and soft touch, and does not damage the paint when washing the car.
- **PACKAGE:** 45x36x54cm, 150pcs/CTN

**Material:** Microfiber **Size:** 30x70cm

## MICROFIBER SINGLE/DOUBLE-SIDED TOWEL

TRJ24-16881617



- **GSM:** 720
- **WEIGHT:** 100g
- **COLOR:** Yellow+Grey/Blue+Grey/Green+Grey
- **FUTURE:** Scrubbing dual purpose, short hair surface can be used to clean stains, coral fleece long hair has good water absorption and can be used to wipe water stains, one towel is multi-purpose.
- **PACKAGE:** 45x36x54cm, 100pcs/CTN

**Material:** Microfiber **Size:** 45x38cm

## SEAMLESS EDGE DOUBLE-SIDED TOWEL

TRJ24-16881618



- **GSM:** 500
- **WEIGHT:** 70g
- **COLOR:** Grey/Blue
- **FUTURE:** The thick coral fleece design is very absorbent, and the texture is fine and soft, and it does not shed hair, ball, and color. It can be used for car washing, interior cleaning and household cleaning.
- **PACKAGE:** 45x36x54cm, 100pcs/CTN

**Material:** Microfiber **Size:** 40x40cm

## Double Twist Pile Drying Towel

TRJ24-16881619



- **GSM:** 600/1200
- **WEIGHT:** 800g
- **COLOR:** Grey
- **FUTURE:** Embrace the power of 1200 GSM and a double twisted pile, as this towel swiftly absorbs water and residue, ensuring a pristine and streak-free shine.
- **PACKAGE:** 37\*77\*48CM, 25pcs/CTN

**Material:** Microfiber **Size:** 60x90cm

## WAFFLE TOWEL

TRJ24-16881620



- **GSM:** 300
- **WEIGHT:** 100g
- **COLOR:** Grey/Orange
- **FUTURE:** Good water absorption, wipe the corroded glass surface without leaving water marks, hair loss and color loss.
- **PACKAGE:** 45x36x54cm, 300pcs/CTN

**Material:** Microfiber **Size:** 40x40cm

## PEARL POLKA DOT TOWEL

TRJ24-16881621



- **GSM:** 300
- **WEIGHT:** 64g
- **COLOR:** Grey/Sky Blue
- **FUTURE:** It is used for cleaning and wiping the glass. Under normal conditions, it will not damage the surface of the glass and leave no marks. It can be washed and used repeatedly.
- **PACKAGE:** 45x36x54cm, 200pcs/CTN

**Material:** Microfiber **Size:** 40x40cm

## CAR WASH CHENILLE TOWEL

TRJ24-16881622



- **GSM:** 700
- **WEIGHT:** 160g
- **COLOR:** Dark Grey/Fluorescent Green
- **FUTURE:** The utility model has the advantages of multi-purpose scrubbing, thickened water absorption, no hair loss and strong decontamination. The gap between fine wool chenille can also absorb a large amount of water, no hair loss and long service life. The car home dual-purpose multifunctional towel can be used repeatedly, and it is more durable than pure cotton.
- **PACKAGE:** 45x36x54cm, 150pcs/CTN

**Material:** Microfiber **Size:** 40x60cm


## GLASS CLEANING TOWEL

TRJ24-16881623



- **GSM:** 300
- **WEIGHT:** 100g
- **COLOR:** Orange/Fluorescent Green/Sky Blue
- **FUTURE:** Cleaning glass, sterile workshop, dust-free room of semiconductor electronic photovoltaic industry, table cleaning, container cleaning, plastering test floor in clean area, optical instruments, computer screen and automobile. It can be reused without hair loss and color loss. It is economical and convenient.
- **PACKAGE:** 45x36x54cm, 150pcs/CTN

**Material:** Microfiber **Size:** 40x60cm



## MICROFIBER WASH MITT

TRJ24-16881624



- **WEIGHT:** 105g
- **COLOR:** Grey/Red/Blue
- **FUTURE:** Plush car washing gloves do not damage the car paint. They are used in car beauty, household cleaning, etc. they are a multifunctional cleaning tool. The plush material of this product absorbs water and does not fade.
- **PACKAGE:** 45x36x54cm, 70pcs/CTN

**Material:** Microfiber **Size:** 18x28cm

## CHENILLE DOUBLE-SIDED MITT

TRJ24-16881625



- **WEIGHT:** 130g
- **COLOR:** Grey/Fluorescent Green/Grey/Green
- **FUTURE:** Double sided chenille waterproof gloves with waterproof layer can avoid the cold brought by winter water temperature, isolate car wash fluid and take care of your hands. Chenille has good water absorption, decontamination, super soft, no depilation, easy cleaning, good foaming function and good cleaning effect.
- **PACKAGE:** 45x36x54cm, 80pcs/CTN

**Material:** Microfiber **Size:** 19x26cm

## CHENILLE MITT

TRJ24-16881626



- **WEIGHT:** 130g
- **COLOR:** Grey/Fluorescent Green/Grey/Green
- **FUTURE:** It contains a waterproof layer to avoid the cold brought by the water temperature in winter, isolate the car wash fluid and take care of your hands. The coral wool material on the other side has strong water absorption, and there is no trace after wiping the water stain.
- **PACKAGE:** 45x36x54cm, 80pcs/CTN

**Material:** Microfiber **Size:** 19x26cm

## CHENILLE DOUBLE-SIDED MITT

TRJ24-16881627



- **WEIGHT:** 70g
- **COLOR:** Green/Blue/Grey
- **FUTURE:** Chenille plush car wash 5-Finger gloves do not damage the car paint. They are used in car beauty, household cleaning, etc. they are a multifunctional cleaning tool. This baby plush material absorbs water without fading, has strong decontamination, has good water absorption capacity of coral suede, leaves no water marks when wiping, and the gap of five finger design is more convenient to clean.
- **PACKAGE:** 45x36x54cm, 80pcs/CTN

**Material:** Microfiber **Size:** 24.5x28cm

TRJ24-16881628



## CHENILLE MITT

- **WEIGHT:** 15g
- **COLOR:** Blue/Yellow/Orange
- **FUTURE:** More convenient to hold. It can be used for car waxing, and can also be used for polishing protection of indoor instrument panel, leather seat, bumper, body and other objects.
- **PACKAGE:** 45x36x54cm, 80pcs/CTN

**Material:** Microfiber **Size:** 19x26cm

## TELESCOPIC CAR WASH MOPE



Mop Size	Stretch size	Cover size	Order No.
59cm	110cm	25cm	TRJ24-16881629

## CARPET BRUSH



Length	Head Width	Brush Length	Order No.
215mm	65mm	25mm	TRJ24-16881630

## CLASSIC DETAIL BRUSH



Size	Material	Order No.
205x20mm	PP	TRJ24-16881631
220x25mm	PP	TRJ24-16881632
225x30mm	PP	TRJ24-16881633
230x35mm	PP	TRJ24-16881634
240x40mm	PP	TRJ24-16881635

## HEAD ULTRASOFT DETAIL BRUSH



Size	Material	Order No.
135mm	ABS engineering plastic	TRJ24-16881636
170mm	ABS engineering plastic	TRJ24-16881637

**Description:**  
Soft fine hairs, fit does not hurt the car, easy to clean; Mini compact design for convenience. Go deep into hidden corners and clean hidden dust; Deep fixation, pulling without hair loss; Multi-scenario application: suitable for car interior, home, office, keyboard cleaning, etc.

## AIR CONDITIONER VENT BRUSH



Size	Material	Order No.
25mm	Foam+Wood	TRJ24-16881638
50mm	Foam+Wood	TRJ24-16881639
75mm	Foam+Wood	TRJ24-16881640

## ELECTRIC DRILL BRUSHES



Size	Material	Order No.
50mm	PP	TRJ24-16881641
90mm	PP	TRJ24-16881642
100mm	PP	TRJ24-16881643



# 16PCS CAR CLEANING TOOLS KIT TRJ24-16881644

- 1 X Dusting Brush
- 1 X U Tire Brush
- 1 X Hub Brush
- 1 X Detail Brush
- 1 X Large Car Wash Glove
- 1 X Two-tone 30x40cm Car Wash Towel
- 1 X 30-by-30 Microfiber Square
- 1 X Gray 25 By 25 Glass Towel
- 1 X 5-inch Waxed Sponge
- 1 X 5 Inch Wave Sponge Polishing Pad
- 1 X 5 Inch Flat Sponge Polishing Pad
- 2 X 5 Inch Drill Cleaning Brush
- 1 X Collapsible Bucket
- 1 X 5 Inch Loop Backing Pad
- 1 X Storage Bag



SAVE TIME & SHINE WITH OUR CAR WASH KIT COMPLETE

## CLEANING TASKS MADE EASY!



THE TOOLS ARE SPECIALLY DESIGNED FOR EASY USE, CONVENIENT FOR YOU TO HOLD AND CLEAN YOUR CAR, SUV, MOTORCYCLE, PICK UP, RV, SEMI TRUCK THOROUGHLY.

OUR CAR WASHING KIT GENTLY GLIDE OVER SURFACES FOR SUPERB QUALITY WASHING, DRYING, AND DETAILING EVERY TIME.




## GET YOUR DASH DUST-FREE QUICKLY!



# DRILL SCRUBBER BRUSH

PEX-106882857



Material: Nylon  
Size: 2/3.5/4/5 inch

## 14 PCS CAR WASH CLEANING KIT



TRJ24-168816445

- 1x Car Duster Interior
- 1x Car Tire Brush
- 1x Rim & Wheel Brush
- 1x Microfiber Car Wash Mitt
- 1x Air Condition Vent Brush
- 1x Microfiber Towel (24"x60")
- 2x Microfiber Wax Applicator
- 1x Car Dust Cleaning Gel
- 1x Drying Towel (15"x17")
- 1x Collapsible Bucket
- 1x Car Refresher
- 1x Storage Bag

## 23 PCS CAR WASH CLEANING KIT



TRJ24-16881647

- 5x Car Detailing Brush,
- 4x Long Brush Attachment (2.5inch, 3.5inch, 4inch, 5inch),
- 3x Wire Brush
- 2x Wax Applicator Pad
- 1x Clay Bar Mitt
- 1x Large Wash Mitt
- 1x Microfiber Towel
- 1x Car Duster
- 1x Car Tire Brush
- 1x Air Conditioner Brush
- 1x Window Water Scraper
- 1x Car Tire Clearing Stone Hook
- 1x Durable Storage Box.

## 30PCS CAR WASH CLEANING KIT



TRJ24-16881646

- 1x plastic storage box,
- 5x car detailing brushes,
- 1x collapsible bucket,
- 1x wash mitt,
- 1x microfiber car wash sponge,
- 3x towels (12x12 inch, 12x24 inch, 24x63 inch),
- 4x microfiber wax applicators,
- 1x car duster,
- 1x mini duster for car air vent,
- 1x car tire brush,
- 1x car wheel brush with handle,
- 1x raincoat,
- 1x window water scraper,
- 1x snow shovel,
- 1x car tire cleaning hook,
- 6x glass washer cleaning tablets.





TRJ24-16881648

## 9 PCS CAR WASH CLEANING KIT

- 1x Dusting Brush
- 1x U Tire Brush
- 1x Hub Brush
- 1x Detail Brush
- 1x Large Car Wash Glove
- 1x Two-tone 30x40cm Car Wash Towel
- 1x 30-by-30 Microfiber Square
- 1x Gray 25 By 25 Glass Towel
- 1x 5-inch Waxed Sponge



## 9 PCS CAR WASH CLEANING KIT



TRJ24-16881649

- 1x Microfiber wash sponge
- 3x Microfiber wash cloth
- 1x Microfiber wash mitt
- 3x Microfiber wax applicator pad
- 1x Microfiber wheel brush

## 26 PCS CAR WASH CLEANING KIT



TRJ24-16881650

- 2x Towel
- 1x Self-adhesive Disc
- 1x Glove
- 1x Tire Brush
- 1x Dust Brush
- 3x Wire Brushes
- 2x Car Polishing Pads
- 2x White Wool Pads
- 2x Car Wash Sponge
- 1x Air Conditioner Brushes
- 5x Different Sizes Of Car Detail Brushes
- 5x Different Sizes Of Car Drill Brushes.

## 9 PCS CAR WASH CLEANING KIT



TRJ24-16881651

- 1x Towel
- 1x Glove
- 1x Gel
- 3x Wire Brushes
- 1x Portable Bag
- 2x Polishing Sponge
- 1x Window Wiper
- 4x Different Sizes Of Car Drill Cleaning Brushes
- 1x Car Air Conditioner Brush
- 5x Different Sizes Of Car Detail Brushes



**MICROFIBER**  
SOFT MATERIAL  
will not scratch the surface



**CORAL FLEECE**  
CAR WASHING  
SPONGE  
WITH MESH

## PLASTIC BACKING PAD



Size	Thread	EVA	Max.RPM	Order No.
125mm	M14,5/8"-11	10/2mm	12,000	TRJ24-16881652
150mm	M14,5/8"-11	10/2mm	10,200	TRJ24-16881653
180mm	M14,5/8"-11	10/2mm	8,500	TRJ24-16881654

## BACKING PAD



Size	Thread	Max.RPM	Order No.
125mm	M10,M14	12,000	TRJ24-16881655
150mm	M10,M14	10,200	TRJ24-16881656
180mm	M10,M14	8,500	TRJ24-16881657

## RUBBER BACKING PAD WITH VELCRO



Size	Thread	Max.RPM	Order No.
80mm	M14x2,5/8"-11	12,000	TRJ24-16881658
100mm	M14x2,5/8"-11	10,200	TRJ24-16881659
125mm	M14x2,5/8"-11	8,500	TRJ24-16881660

## SANDER BACKING PAD



Size	Thread	Max.RPM	Order No.
150mm	5/16"x24	10,200	TRJ24-16881661

## SOFT EDGE BACKING PAD





Size	Thread	Max.RPM	Order No.
125mm	M14,5/8"-11	8,000	TRJ24-16881662
150mm	M14,5/8"-11	7,000	TRJ24-16881663
180mm	M14,5/8"-11	5,000	TRJ24-16881664

## PLASTIC SANDING PAD



Size	Thread	Max.RPM	Order No.
25mm	M14,5/8"-11	20,000	TRJ24-16881665
50mm	M14,5/8"-11	20,000	TRJ24-16881666
80mm	M14,5/8"-11	20,000	TRJ24-16881667
125mm	M14,5/8"-11	12,000	TRJ24-16881668
150mm	M14,5/8"-11	10,200	TRJ24-16881669
180mm	M14,5/8"-11	8,500	TRJ24-16881670

## BACKING PAD



Size	Thread	Holes	Max.RPM	Order No.
50mm	5/16"x24, 1/4"-20, M6	0	20,000	TRJ24-16881671
75mm	5/16"x24, 1/4"-20, M6	0	20,000	TRJ24-16881672
100mm	5/16"x24	0	12,000	TRJ24-16881673
125mm	5/16"x24	0,5,6,8,44	12,000	TRJ24-16881674
150mm	5/16"x24	0,6,9,15,17,52	12,000	TRJ24-16881675

## MINI EVA SANDING PAD



Size	Shank	Max.RPM	Order No.
25mm	6mm	20,000	TRJ24-16881676
50mm	6mm	20,000	TRJ24-16881677
75mm	6mm	20,000	TRJ24-16881678

## INTERFACE PAD-MULTI HOLE



Size	Holes	Max.RPM	Order No.
125x13mm	5,6,8,44	20,000	TRJ24-16881679
150x13mm	6,9,15,17,52,70	20,000	TRJ24-16881680

## SANDER BACKING PLATE



Size	Thread	Max.RPM	Order No.
25mm	5/16"x24,M6	20,000	TRJ24-16881681
50mm	5/16"x24,M6	20,000	TRJ24-16881682
75mm	5/16"x24,M6	20,000	TRJ24-16881683
125mm	5/16"x24,M6	12,000	TRJ24-16881684
150mm	5/16"x24,M6	12,000	TRJ24-16881685
180mm	5/16"x24,M6	12,000	TRJ24-16881686

## INTERFACE PAD-NO HOLE



Size	Max.RPM	Holes	Order No.
25x13mm	20,000	/	TRJ24-16881687
50x13mm	20,000	/	TRJ24-16881688
75x13mm	20,000	/	TRJ24-16881689
100x13mm	20,000	/	TRJ24-16881690
125x13mm	20,000	/	TRJ24-16881691
150x13mm	20,000	/	TRJ24-16881692

## HAND SANDING BLOCK



Size	Density	Order No.
70x125mm	Medium	TRJ24-16881693
90x150mm	Medium	TRJ24-16881694

## HAND SANDING BLOCK



Size	Density	Order No.
125mm	Medium	TRJ24-16881695
150mm	Medium	TRJ24-16881696

## HAND SANDING BLOCK



Size	Density	Order No.
75mm	Medium	TRJ24-16881697
100mm	Medium	TRJ24-16881698
125mm	Medium	TRJ24-16881699
150mm	Medium	TRJ24-16881700

## HAND SANDING BLOCK



Size	Density	Order No.
70x135mm	Medium	TRJ24-16881701
70x198mm	Medium	TRJ24-16881702

## HAND SANDING BLOCK



Size	Density	Order No.
67x125mm	Medium	TRJ24-16881703
23x120mm	Medium	TRJ24-16881704

## RUBBER HAND SANDING BLOCK



Size	Density	Order No.
67x125mm	Medium	TRJ24-16881705
23x120mm	Medium	TRJ24-16881706

## HAND SANDING BLOCK



Size	Order No.
85x165mm	TRJ24-16881707
105x210mm	TRJ24-16881708


## HAND SANDING BLOCK



Size	Order No.
80x230mm	TRJ24-16881709
120x230mm	TRJ24-16881710


**DIAMOND WET POLISH PAD**

**Material: Diamond**



- Sharp
- Wear-resisting
- Dry wet amphibious
- Good lighting effect
- Extensive use of stone renovation care

**Granite, marble, ceramic tile, quartz stone, artificial stone grinding, renovation, polishing.**



Size	Bore	Grit	Thickness	Order No.
75mm	8mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881711
100mm	16mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881712
125mm	16mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881713
150mm	16mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881714
180mm	16mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881715
200mm	16mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881716
230mm	16mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881717
250mm	16mm	50/100/200/400/800/1500/3000#	3-10mm	TRJ24-16881718



**RUBBER BACKING PAD WITH VELCRO**



## DIAMOND DRY POLISHING PAD

**Material: DIAMOND**



Size	Bore	Grit	Thickness	Order No.
75mm	16mm	50/100/200/400/800/1500/3000#	1.7mm	TRJ24-16881719
100mm	16mm	50/100/200/400/800/1500/3000#	1.5mm	TRJ24-16881720
125mm	16mm	50/100/200/400/800/1500/3000#	1.5mm	TRJ24-16881721
150mm	16mm	50/100/200/400/800/1500/3000#	1.5mm	TRJ24-16881722
180mm	16mm	50/100/200/400/800/1500/3000#	1.5mm	TRJ24-16881723

### APPLICATION MATERIAL



**Dry Polishing**  
Working without water, convenient and less pollution.

**Good grinding effect**  
Made of high quality diamond powder and resin powder, aggressive and durable

**Hook and loop fasteners**  
Hook and Loop backed polishing pads are easier to be installed and removed.

**Agile and convenient**  
Flexible, suitable for different shape polishing granite and marble.




For Paver, Granite, Marble, Concrete Brick, Masonary, Concrete Wall, Natural Stone, Refractory Material, Soft Stone and Sand Stone.



PAVER



GRANITE



MARBLE



CONCRETE BRICK




MASONARY




CONCRETE WALL

## Cold Pressed Sintered Diamond Saw Blade




Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881724
115mm	13300	TRJ24-16881725
125mm	12200	TRJ24-16881726
150mm	10200	TRJ24-16881727
180mm	8600	TRJ24-16881728
200mm	6800	TRJ24-16881729
230mm	6600	TRJ24-16881730
250mm	6000	TRJ24-16881731
300mm	5100	TRJ24-16881732
350mm	4800	TRJ24-16881733




Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881734
115mm	13300	TRJ24-16881735
125mm	12200	TRJ24-16881736
150mm	10200	TRJ24-16881737
180mm	8600	TRJ24-16881738
200mm	6800	TRJ24-16881739
230mm	6600	TRJ24-16881740
250mm	6000	TRJ24-16881741
300mm	5100	TRJ24-16881742
350mm	4800	TRJ24-16881743

Formulated with premium-grade diamond, sturdy, durable, and of high density. High precision grinding, maximum cutting performance Professional grade quality and engineered for extremely smooth cutting or grinding of quartz, marble, man-made rock, and ceramic stone, tile.




# HOT PRESSED SAW BLADE



## 01 10mm High and K shape net segment

K shape segment ensure the smooth and fast cutting, 10mm High segment insist longer service time



## 02 Super Thin Seg

Super thin segment design specially for smooth and fast cutting porcelain and tile without chipping.



## 03 Enhanced Center

Enhanced body center ensure the stable and durable cutting.




## 04 Coolant Hole

Whole circle coolant hole design ensures blade fast cool down and balance the tension during the cutting.



- Dry or wet cutting porcelain, tile, granite, marble, ceramic, etc.
- The mesh turbo design help to cooling and bring the dust out, so more efficient, fast and stable in cutting.
- Hot-pressed sintered blades provide long working life.

Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881744
115mm	13300	TRJ24-16881745
125mm	12200	TRJ24-16881746
150mm	10200	TRJ24-16881747
180mm	8600	TRJ24-16881748
200mm	6800	TRJ24-16881749
230mm	6600	TRJ24-16881750



Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881751
115mm	13300	TRJ24-16881752
125mm	12200	TRJ24-16881753
150mm	10200	TRJ24-16881754
180mm	8600	TRJ24-16881755
200mm	6800	TRJ24-16881756
230mm	6600	TRJ24-16881757
250mm	6000	TRJ24-16881758
300mm	5100	TRJ24-16881759
350mm	4800	TRJ24-16881760





## HOT PRESSED TRIANGLE PROTECTIVE DIAMOND SAW BLADE



High diamond concentration for extra long life.

The unique design of triangle segments allows ideal removal, better cooling and protecting core.

**BEST PERFORMING  
BLADE ON  
THE MARKET !**

### TURBO BLADE FEATURES:

- Fast cutting speed, small cutting gap, high cutting efficiency.
- Suitable for dry/wet cutting.
- Specially designed fine turbo teeth and mature bond system.
- Good cutting result: smooth and stable cutting, stone waste reduction.




The cooling holes on the core of the handsaw blade can reduce the temperature during cutting.

Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881761
115mm	13300	TRJ24-16881762
125mm	12200	TRJ24-16881763
150mm	10200	TRJ24-16881764
180mm	8600	TRJ24-16881765
200mm	6800	TRJ24-16881766
230mm	6600	TRJ24-16881767
250mm	6000	TRJ24-16881768
300mm	5100	TRJ24-16881769
350mm	4800	TRJ24-16881770




## Laser Welded Blade



Size	Max. RPM	Order No.
180mm	8600	TRJ24-16881771
200mm	6800	TRJ24-16881772
230mm	6600	TRJ24-16881773
250mm	6000	TRJ24-16881774
300mm	5100	TRJ24-16881775
350mm	4800	TRJ24-16881776
400mm	4500	TRJ24-16881777
450mm	4500	TRJ24-16881778
500mm	4500	TRJ24-16881779
600mm	4500	TRJ24-16881780

## High Frequency Welded Blade




Size	Max. RPM	Order No.
180mm	8600	TRJ24-16881781
200mm	6800	TRJ24-16881782
230mm	6600	TRJ24-16881783
250mm	6000	TRJ24-16881784
300mm	5100	TRJ24-16881785
350mm	4800	TRJ24-16881786
400mm	4500	TRJ24-16881787
450mm	4500	TRJ24-16881788
500mm	4500	TRJ24-16881789
600mm	4500	TRJ24-16881790


## Mortar Raking Disc

Diamond segments for strength and durability.  
Designed for removing mortar joints from brickwork.  
Designed for a constant cutting depth & long cutting life

Dia	Thickness	Seg. Height	Max. RPM	Order No.
105mm	6.4mm	7/10mm	15200	TRJ24-16881791
115mm	6.4mm	7/10mm	13300	TRJ24-16881792
125mm	6.4mm	7/10mm	12200	TRJ24-16881793
150mm	6.4mm	7/10mm	10200	TRJ24-16881794
180mm	6.4mm	7/10mm	8600	TRJ24-16881795
230mm	6.4mm	7/10mm	6600	TRJ24-16881796



## ELECTROPLATED      ELECTROPLATED      ELECTROPLATED



Size	Grit	Order No.
100x22.23mm	35/40#	TRJ24-16881797
115x22.23mm	35/40#	TRJ24-16881798
125x22.23mm	35/40#	TRJ24-16881799


Size	Grit	Order No.
100x22.23mm	35/40#	TRJ24-16881800
115x22.23mm	35/40#	TRJ24-16881801
125x22.23mm	35/40#	TRJ24-16881802

Size	Grit	Order No.
100x22.23mm	30/40#	TRJ24-16881803
115x22.23mm	30/40#	TRJ24-16881804
125x22.23mm	30/40#	TRJ24-16881805

**DOUBLE-SIDED CUTTING & GRINDING DISCS**

1. Designed for wet or dry cutting and grinding, also used for smooth rough sides and edges, ideal for marble stone fiberglass
2. Electroplated diamond cutting and grinding discs for granite & marble, both side coated
3. Galvanized diamond technology provide wide application
4. Double-sided grinding area increases work efficiency while reducing production costs.

Size	Bore	Grit	Order No.
100mm	M14 or 5/8"-11 Flange	40/45#	TRJ24-16881806
115mm	M14 or 5/8"-11 Flange	40/45#	TRJ24-16881807
125mm	M14 or 5/8"-11 Flange	40/45#	TRJ24-16881808
150mm	M14 or 5/8"-11 Flange	40/45#	TRJ24-16881809
180mm	M14 or 5/8"-11 Flange	40/45#	TRJ24-16881810
230mm	M14 or 5/8"-11 Flange	40/45#	TRJ24-16881811



Size	Bore	Grit	Order No.
100mm	22.23mm	40/45#	TRJ24-16881812
115mm	22.23mm	40/45#	TRJ24-16881813
125mm	22.23mm	40/45#	TRJ24-16881814
150mm	22.23mm	40/45#	TRJ24-16881815
180mm	22.23mm	40/45#	TRJ24-16881816
230mm	22.23mm	40/45#	TRJ24-16881817


## CONTINUOUS RIM



- Concrete
- Masonry
- Glass
- Marble
- Granite
- Ceramic
- Quartz Stone

Size	Grit	Bore	Thickness	Order No.
100mm	40/45#	22.23mm	1.4mm	TRJ24-16881818
115mm	40/45#	22.23mm	1.4mm	TRJ24-16881819
125mm	40/45#	22.23mm	1.4mm	TRJ24-16881820
150mm	40/45#	22.23mm	1.4mm	TRJ24-16881821
180mm	40/45#	22.23mm	1.6mm	TRJ24-16881822
230mm	40/45#	22.23mm	1.6mm	TRJ24-16881823
300mm	40/45#	25.4mm	1.8mm	TRJ24-16881824
350mm	40/45#	25.4mm	1.8mm	TRJ24-16881825

## PEAK RIM



- Concrete
- Masonry
- Glass
- Marble
- Granite
- Ceramic
- Quartz Stone

Size	Grit	Bore	Thickness	Order No.
115mm	40/45#	22.23mm	1.4mm	TRJ24-16881826
125mm	40/45#	22.23mm	1.4mm	TRJ24-16881827
150mm	40/45#	22.23mm	1.4mm	TRJ24-16881828
180mm	40/45#	22.23mm	1.4mm	TRJ24-16881829
230mm	40/45#	22.23mm	1.6mm	TRJ24-16881830

## SEGMENTED VACUUM BRAZED SAW BLADE



- Concrete
- Masonry
- Glass
- Marble
- Granite
- Ceramic
- Quartz Stone

Size	Grit	Bore	Thickness	Order No.
100mm	40/45#	22.23mm	1.4mm	TRJ24-16881831
115mm	40/45#	22.23mm	1.4mm	TRJ24-16881832
125mm	40/45#	22.23mm	1.4mm	TRJ24-16881833
150mm	40/45#	22.23mm	1.4mm	TRJ24-16881834
180mm	40/45#	22.23mm	1.6mm	TRJ24-16881835
230mm	40/45#	22.23mm	1.6mm	TRJ24-16881836
300mm	40/45#	25.4mm	1.8mm	TRJ24-16881837
350mm	40/45#	25.4mm	1.8mm	TRJ24-16881838

### VACUUM BRAZED technology,

able to give this blade a greater resistance to the high temperatures that dry cutting blades often suffer when cutting such varied materials. Increased resistance to high temperatures during cutting, reduction of spark generated.



Regular

Vacuum brazed

# MULTI-PURPOSE DIAMOND BLADE



PIPE



STEEL STUDS



ANGLE IRON




THREADED ROD




REBAR



## VACUUM BRAZED



- This multi-purpose diamond blade features consistent quality and cooling holes around the segments that provide for a quick and clean cut on most applications.
- It is suitable to handle light duty cutting of concrete, brick, block, tile, stone, concrete pipe, sheet rock, dry-wall, stucco, marble, granite, plastics, PVC, fiber-glass, copper, aluminum, metal pipes, sheet metal, metal studs, and more.





Size	Bore	Thickness of steel core	Seg. Height	Order No.
105mm	16/20/22.23mm	3.5mm	3~4mm	TRJ24-16881839
110mm	16/20/22.23mm	3.5mm	3~4mm	TRJ24-16881840
115mm	16/20/22.23mm	3.5mm	3~4mm	TRJ24-16881841
125mm	16/20/22.23mm	3.5mm	3~4mm	TRJ24-16881842
150mm	16/20/22.23mm	3.5mm	3~4mm	TRJ24-16881843
180mm	22.23/25.4mm	3.5mm	3~4mm	TRJ24-16881844
200mm	22.23/25.4mm	3.5mm	3~4mm	TRJ24-16881845
230mm	22.23/25.4mm	3.5mm	3~4mm	TRJ24-16881846
250mm	22.23/25.4mm	3.5mm	3~4mm	TRJ24-16881847
300mm	20/25.4mm	3.5mm	3~4mm	TRJ24-16881848
350mm	20/25.4mm	3.5mm	3~4mm	TRJ24-16881849

# DIAMOND BLADE

## CARBIDE CHUNK RESCUE SAW BLADE



- Heavy Duty Steel Plate
- Large Carbide Chunk Segments
- Fracture Resistant Carbide
- Laser Cut Anti-Vibration slots



Carbide chunk rescue and demolition blades have been designed with a heavy duty steel plate, large carbide chunk segments, and fracture resistant carbide.

This allows them to cut through nearly any material including roof shingles, thin metal, aluminum, steel studs, rubber, plastic, and all wood products.

Size	Bore	Thickness of steel core	Order No.
125mm	22.23mm	3.5mm	TRJ24-16881850
230mm	22.23mm	3.5mm	TRJ24-16881851
350mm	25.4mm	4mm	TRJ24-16881852

## CARBIDE MULTI WHEEL

**Working materials:** Wood, plastic, laminated flooring, parquet (hardwood), plasterboard, MDF (hardboard) and chipboard.



### CUTTING

Specially designed for cutting of wood plastic, laminated flooring, plasterboard, MDF, etc.



### CARVING

Ideal for carving of wood due to the tungsten carbide grit is beyond the plane of the disc body.

### Tungsten carbide grit

Selected grit quality and size ensure a fast cut, long lifetime and multi-application use.

### Laser melting process

High bonding strength between steel and tungsten carbide grit ensure a durable and safe application.

### Blade geometry

Thin body design and expansion slots give a quick cutting speed, and help avoid blade deformation.

Size	Abor	Thickness of steel core	Order No.
105mm	22.23mm	1.2mm	TRJ24-16881853
110mm	22.23mm	1.2mm	TRJ24-16881854
115mm	22.23mm	1.2mm	TRJ24-16881855
125mm	22.23mm	1.2mm	TRJ24-16881856
180mm	25.4mm	1.4/1.6mm	TRJ24-16881857
230mm	25.4mm	1.6/1.8mm	TRJ24-16881858

# DIAMOND CUP WHEEL FOR GRINDING

For concrete, block, stone and other, masonry products.



Diamond cup grinding wheel is a metal-bonded abrasive tool of diamond which comprises of diamond segments welded or cold-pressed on a metallic wheel body. Its name is such because it usually looks just like a cup with a depression in the center.

Diamond grinding wheels are attached to concrete grinders for surface preparation and concrete granite marble stone grinding. Diamond cup grinding wheels are diverse in terms of their style based on the specific requirements.

## DOUBLE ROW



### Application:

High Diamond concentration for long life and Aggressive material removal. Large Grinding segments with heat treated steel bodies which provides increases durability and wheel.

Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881859
115mm	13300	TRJ24-16881860
125mm	12200	TRJ24-16881861
150mm	10200	TRJ24-16881862
180mm	8600	TRJ24-16881863

## SINGLE ROW



### Application:

Used for rough grinding, deburring and fast material removal of concrete, masonry and stone. Designed for general purpose applications.

Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881864
115mm	13300	TRJ24-16881865
125mm	12200	TRJ24-16881866
150mm	10200	TRJ24-16881867
180mm	8600	TRJ24-16881868

## TURBO WAVE



### Application:

Super Turbo Segmented Diamond Cup Wheels are designed for grinding concrete and field.

Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881869
115mm	13300	TRJ24-16881870
125mm	12200	TRJ24-16881871
150mm	10200	TRJ24-16881872
180mm	8600	TRJ24-16881873



## DIAMOND GRINDING WHEEL

Heat-treated steel body and high concentration of diamond are designed for grinding machines and angle grinders  
 Large grinding segments with heat treated steel bodies which provides increases durability and wheel life.  
 Generally used for dry/wet grinding of concrete, granite, stone, marble, tile, masonry and some other construction material to smooth uneven surfaces and remove flashing

### T SEGMENT



Diamond grinding cup wheels are usually seated on concrete grinder to grind cutting building materials like concrete, granite, and marble.

Size	Max. RPM	Order No.
125mm	15200	TRJ24-16881874

### L TYPE



Designed for polishing and smoothing, ideal for grinding all types of stone, concrete, masonry and other hard abrasive surfaces.

Size	Max. RPM	Order No.
125mm	15200	TRJ24-16881877

### C TYPE



Durable diamond cup wheel is built for grinding cured concrete, hard brick/block and hard granite

Size	Max. RPM	Order No.
125mm	15200	TRJ24-16881878

### ADVANCED SEGMENTS



Advanced diamond segments with high carbon steel, which provides surface preparation/middle polishing/finishing on concrete, wall tiles, marble, granite, asphalt, stone etc.

Size	Max. RPM	Order No.
125mm	15200	TRJ24-16881875

### SEGMENT TURBO



Diamond grinding wheels design for fast grinding with a smooth finishing. Ideal for general purpose applications on concrete and masonry.

Size	Max. RPM	Order No.
125mm	15200	TRJ24-16881876



Size	Max. RPM	Order No.
105mm	15200	TRJ24-16881879
115mm	13300	TRJ24-16881880
125mm	12200	TRJ24-16881881
150mm	10200	TRJ24-16881882
180mm	8600	TRJ24-16881883

*Efficient removal of material.*

*Dust Extraction Design*

*Steel Body Construction*

*High Grade Diamond*



**Turbo Continuous Rim**




## RESIN-BONDED GRINDING WHEEL



**Material:** Aluminum resin diamond  
**Color:** Silver and brown

- Designed to grind carbide and hard steel.
- Can be used in various tools and cutter applications.
- Resin bond for uncomplicated grinding operation with good material removal rates, while maintaining a low thermal influence on the work piece.




Dia	T	X	Order No.
12mm	10/12mm	2mm	TRJ24-16881884
14mm	10/13/16mm	2mm	TRJ24-16881885
16mm	10/16mm	2mm	TRJ24-16881886
18mm	10/16/20mm	2mm	TRJ24-16881887
20mm	8/10/16/20mm	3mm	TRJ24-16881888
25mm	8/10/16/20mm	3mm	TRJ24-16881889
30mm	8/10/16/20mm	3mm	TRJ24-16881890
40mm	8/10/16/20mm	3mm	TRJ24-16881891
50mm	8/10/16/20mm	3mm	TRJ24-16881892
60mm	8/10/16/20mm	3mm	TRJ24-16881893
80mm	6/8/10/16/20mm	3mm	TRJ24-16881894
100mm	6/8/10/16/20mm	4mm	TRJ24-16881895
125mm	6/8/10/16/20mm	4mm	TRJ24-16881896
150mm	6/8/10/16/20mm	4mm	TRJ24-16881897
200mm	6/8/10/16/20/30mm	4-10mm	TRJ24-16881898
250mm	6/8/10/16/20/30mm	5mm	TRJ24-16881899
300mm	10/16/20/25/32/40mm	5-10mm	TRJ24-16881900
350mm	16/20/25/32/40mm	5-10mm	TRJ24-16881901
400mm	16/20/25/32/40mm	5-10mm	TRJ24-16881902

## RESIN-BONDED GRINDING WHEEL



**Material:** Aluminum resin diamond  
**Color:** Silver and brown


- Mainly used in processing polished alloy, saw blade and sawtooth.
- Can be used in various tools and cutter applications.
- Designed to grind carbide and hard steel.



Dia	T	H	Order No.
30mm	15mm	8/10mm	TRJ24-16881903
50mm	25mm	4/19.05/20mm	TRJ24-16881904
75mm	25/30/32mm	19.05/20mm	TRJ24-16881905
90mm	35/40mm	19.05/20mm	TRJ24-16881906
100mm	35/40mm	19.05/20/31.75/32mm	TRJ24-16881907
125mm	35/40/45/50mm	19.05/20/31.75/32mm	TRJ24-16881908
150mm	35/40/45/50mm	31.75/32mm	TRJ24-16881909



Can be used in various tools and cutter applications.




wheel angle  
60°/70°

## TAPER CUP RESIN GRINDING WHEEL



The taper cup resin grinding wheel is a common grinding tool, and is often used to grind alloy blades, including milling cutters, drill bits, spade bits, step reamers, gravers, and more.




Dia	W	X	T	A	E	Order No.
50mm	3mm	2-3-4mm	A+X	17mm	6mm	TRJ24-16881910
	4mm	2-3-4mm	A+X	17mm	6mm	TRJ24-16881911
75mm	5mm	2-3-4-5mm	A+X	22mm	9mm	TRJ24-16881912
	6mm	2-3-4-5mm	A+X	22mm	9mm	TRJ24-16881913
100mm	10mm	2-3-4-5mm	A+X	22mm	9mm	TRJ24-16881914
	3mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881915
125mm	5mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881916
	10mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881917
150mm	4mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881918
	5mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881919
200mm	6mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881920
	10mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881921
150mm	15mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881922
	5mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881923
200mm	6mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881924
	15mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881925
200mm	10mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881926
	20mm	2-3-4-5mm	A+X	37mm	12mm	TRJ24-16881927

## RESIN-BOND GRINDING WHEEL



Mainly used for grinding hard alloys, non-metal materials, cutting hard and brittle hard alloys, non-metallic minerals, such as cemented carbide, ceramics, agate, optical glass, semi-conductor materials.



Dia	W	X	T	A	E	Order No.
50mm	7mm	2-3-4-5mm	A+X	17mm	6mm	TRJ24-16881928
75mm	5mm	2-3-4-5mm	A+X	19mm	10mm	TRJ24-16881929
	10mm	2-3-4-5mm	A+X	19mm	10mm	TRJ24-16881930
100mm	5mm	2-3-4-5mm	A+X	27mm	10mm	TRJ24-16881931
	10mm	2-3-4-5mm	A+X	27mm	10mm	TRJ24-16881932
125mm	5mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881933
	10mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881934
150mm	15mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881935
	20mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881936
175mm	5mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881937
	10mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881938
200mm	20mm	2-3-4-5mm	A+X	29mm	10mm	TRJ24-16881939
	25mm	2-3-4-5mm	A+X	25mm	13mm	TRJ24-16881940
200mm	20mm	2-3-4-5mm	A+X	37mm	13mm	TRJ24-16881941



Hardened steel

Construction Materials




Applied with hardened steel



**Material = 45# Steel**  
**Color = Silver / Golden / Red / Green/black**

Ground grinding disc is for wood material products polishing and grinding, carving, like Plank, tea tray, root carving etc, and other Non-metallic and non-hard materials.

**FAST MATERIAL REMOVAL  
 SAVING TIME AND EFFORT!**



## FLAT SHAPE

## BEVEL SHAPE

## ARC SHAPE



Size	Bore	Order No.
65mm	16mm	TRJ24-16881942
75mm	16mm	TRJ24-16881943
85mm	16mm	TRJ24-16881944
100mm	22mm	TRJ24-16881945
115mm	22mm	TRJ24-16881946
125mm	22mm	TRJ24-16881947
150mm	22mm	TRJ24-16881948



Size	Bore	Order No.
65mm	16mm	TRJ24-16881949
75mm	16mm	TRJ24-16881950
85mm	16mm	TRJ24-16881951
100mm	22mm	TRJ24-16881952
115mm	22mm	TRJ24-16881953
125mm	22mm	TRJ24-16881954
150mm	22mm	TRJ24-16881955



Size	Bore	Order No.
65mm	16mm	TRJ24-16881956
75mm	16mm	TRJ24-16881957
85mm	16mm	TRJ24-16881958
100mm	22mm	TRJ24-16881959
115mm	22mm	TRJ24-16881960
125mm	22mm	TRJ24-16881961
150mm	22mm	TRJ24-16881962

## WOOD CARVING DISC SERIES



# T.C.T SAW BLADE

## WOOD CUTTING BLADE

- Long life & Less wastage of wood
- The cutting surface is smooth and durability is perfect.
- For cutting soft wood, hard wood, plywood, chipboard.



Size	Teeth No.	Bore	Max.RPM	Order No.
110mm	24/30/40T	20mm	13300	TRJ24-16881963
125mm	24/30/40T	20mm	12200	TRJ24-16881964
135mm	24/30/40T	20mm	12200	TRJ24-16881965
150mm	40/60T	20mm	10200	TRJ24-16881966
160mm	40/60T	20mm	10200	TRJ24-16881967
165mm	40/60T	20mm	10200	TRJ24-16881968
180mm	24/40/60T	22.2mm	8600	TRJ24-16881969
185mm	24/40/60T	22.2mm	8600	TRJ24-16881970
200mm	40/60/80T	22.2mm	7600	TRJ24-16881971
230mm	40/60/80/100T	22.2mm	6600	TRJ24-16881972
250mm	40/48/80/100/120T	22.2mm	6600	TRJ24-16881973
300mm	40/60/80/100/120T	25.4mm	5100	TRJ24-16881974
350mm	60/80/100/120T	25.4mm	4400	TRJ24-16881975
400mm	60/80/100/120T	25.4mm	3800	TRJ24-16881976
450mm	60/80/100/120T	25.4mm	3600	TRJ24-16881977
500mm	60/80/100/120T	25.4mm	3400	TRJ24-16881978



## PREMIUM QUALITY WOOD CUTTING BLADE


- Fully-hardened, expertly-tensioned tool steel bodies for true and accurate cuts.
- High grade, wear-resistant carbide tips for long life.
- Fine grit honing of carbide edge for clean, smooth cuts.



Size	Teeth No.	Bore	Max.RPM	Order No.
110mm	30T	20mm	13300	TRJ24-16881979
125mm	42T	20mm	12200	TRJ24-16881980
147mm	40/52T	20mm	10200	TRJ24-16881981
165mm	40/50/60T	20mm	10200	TRJ24-16881982
190mm	52/60T	22.2mm	7600	TRJ24-16881983
205mm	80T	22.2mm	7600	TRJ24-16881984

## 3 TEETH SPEED CUTTER BLADE

- Special for an angle grinder with a right balance saw blade head made of YG8 hard alloy, carving disc body made of high carbon steel for long life performance.



Size	Teeth No.	Bore	Max.RPM	Order No.
110mm	30T	20mm	13300	TRJ24-16881985
125mm	42T	20mm	12200	TRJ24-16881986

## PANEL T.C.T CUTTING BLADE

- Suitable for cutting laminated chipboard, MDF, multi-board with the thickness of less than 35mm.
- Used for the scoring of laminated, the scoring width can be adjusted by spacers.



Size	Teeth No.	Bore	Max.RPM	Order No.
300mm	60/72/96T	25.4mm	5100	TRJ24-16881987
350mm	72/84/108T	25.4mm	4400	TRJ24-16881988
380mm	72T	25.4mm	3800	TRJ24-16881989
400mm	72/84T	25.4mm	3800	TRJ24-16881990
430mm	84T	25.4mm	3600	TRJ24-16881991
450mm	72/84T	25.4mm	3600	TRJ24-16881992



Size	Z(teeth)	Order No.
100mm	24T	TRJ24-16881993
100mm	12T+12T	TRJ24-16881994
120mm	24T	TRJ24-16881995
120mm	12T+12T	TRJ24-16881996
160mm	40T	TRJ24-16881997
180mm	40T	TRJ24-16881998
200mm	40T	TRJ24-16881999



## METAL CUTTING BLADE

- Construction grade titanium carbide teeth provide easy cuts through ferrous metal.
- Longer working life than abrasive discs.



Size	Teeth No.	Bore	Max.RPM	Order No.
110mm	24/40T	16mm	13300	TRJ24-16882000
115mm	24/30/40T	16mm	13300	TRJ24-16882001
125mm	30/40T	20mm	12200	TRJ24-16882002
165mm	30/40T	20mm	10200	TRJ24-16882003
180mm	40/60/80T	22.2mm	8600	TRJ24-16882004
250mm	60/80/100T	25.4mm	6600	TRJ24-16882005
300mm	80/100/120T	25.4mm	5100	TRJ24-16882006
350mm	80/100/120T	25.4mm	4400	TRJ24-16882007
400mm	80/100/120T	25.4mm	3800	TRJ24-16882008



## STEEL CUTTING BLADE

- The blades are applied in seamless steel pipe plant to cut various hot-voled seamless pipes after cooling and straightening.
- Several parallel pipes can be cut at one time which increases the efficiency and quality.



Size	Teeth No.	Bore	Max.RPM	Order No.
165mm	60/80/100/150T	16mm	10200	TRJ24-16882009
185mm	40/60/80/100/150T	20mm	8600	TRJ24-16882010
250mm	80/100/150/200T	20mm	6600	TRJ24-16882011



## PCD CUTTING BLADE


With polycrystalline diamond tipped teeth this blade produces faster cutting ability and far longer life when cutting fiber cement board.



Size	Teeth No.	Bore	Max.RPM	Order No.
105mm	4/6/8/10T	16mm	15200	TRJ24-16882012
125mm	4/6/8/10T	20mm	12200	TRJ24-16882013
185mm	4/6/8/10/12T	22.2mm	8600	TRJ24-16882014
210mm	4/6/8/10/12T	22.2mm	7600	TRJ24-16882015
255mm	6/8/10/12/18/40/60T	22.2mm	6600	TRJ24-16882016
305mm	12/24/28/30/40/60T	25.4mm	5100	TRJ24-16882017
355mm	24/30/36T	25.4mm	4400	TRJ24-16882018

# BEST

## ALUMINIUM CUTTING BLADES



Suitable for cutting aluminium alloy materials, non-ferrous metals and some other materials with high quality and long cutting life.



Size	Teeth No.	Bore	Max.RPM	Order No.
110mm	24/40T	16mm	13300	TRJ24-16882019
115mm	40T	16mm	13300	TRJ24-16882020
125mm	30T	20mm	12200	TRJ24-16882021
165mm	30T	20mm	10200	TRJ24-16882022
180mm	40/60/80T	22.2mm	8600	TRJ24-16882023
215mm	30/40/60/80T	22.2mm	7600	TRJ24-16882024
250mm	60/80/100T	25.4mm	6600	TRJ24-16882025
300mm	60/80/100/120T	25.4mm	5100	TRJ24-16882026
350mm	60/80/100/120T	25.4mm	4400	TRJ24-16882027
400mm	60/80/100/120T	25.4mm	3800	TRJ24-16882028

## BRUSH CUTTER BLADE

- Made of high-quality steel, very sharp and has high rigidity.
- Uniformly arranged teeth, which can ensure fast and smooth cutting. Sharp cutting edges can achieve faster cutting speed.
- Equipped with disassembly and installation accessories, more convenient to use.



Size	Teeth No.	Bore	Max.RPM	Order No.
230mm	36/40T	25.4mm	13300	TRJ24-16882029
255mm	36/40/48T	25.4mm	13300	TRJ24-16882030
305mm	40/48/60T	25.4mm	12200	TRJ24-16882031

## BRUSH CUTTER BLADES SERIES



TRJ24-16882032

TRJ24-16882033

TRJ24-16882034

## STEEL BRUSH CUTTER BLADES SERIES



TRJ24-16882035



TRJ24-16882036



TRJ24-16882037



TRJ24-16882038



TRJ24-16882039



TRJ24-16882040



Size	Grit	Total Length	Working Length	Diamond Width	Shank	Order No.
6mm	40/50#	60mm	35mm	10mm	M14	TRJ24-16882041
8mm	40/50#	60mm	35mm	10mm	M14	TRJ24-16882042
10mm	40/50#	60mm	35mm	10mm	M14	TRJ24-16882043
12mm	40/50#	60mm	35mm	10mm	M14	TRJ24-16882044
14mm	40/50#	60mm	35mm	10mm	M14	TRJ24-16882045
15mm	40/50#	60mm	35mm	10mm	M14	TRJ24-16882046
16mm	40/50#	60mm	35mm	10mm	M14	TRJ24-16882047



Size	Grit	Total Length	Working Length	Diamond Width	Shank	Order No.
20mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882048
22mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882049
25mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882050
28mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882051
30mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882052
32mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882053
35mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882054
38mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882055
40mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882056
43mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882057
45mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882058
50mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882059
55mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882060
60mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882061
65mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882062
70mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882063
75mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882064
80mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882065
85mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882066
100mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882067
120mm	35/40#	60-62mm	40mm	15mm	M14	TRJ24-16882068

## HIGH PERFORMANCE SMOOTH DRILLING LONG LIFE!



Suitable for glass, ceramics, quartz stone, marble, granite, refractory materials and other hard brittle material hole shape processing.



Size	Grit	Total Length	Working Length	Diamond Width	Shank	Order No.
30mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882069
35mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882070
40mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882071
45mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882072
50mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882073
60mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882074
65mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882075
70mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882076
75mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882077
80mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882078
85mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882079
100mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882080
120mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882081
140mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882082
150mm	35/40#	90mm	50mm	7mm	Hexagonal	TRJ24-16882083

## DIAMOND ULTRA WET CORE DRILL



### LASER WELDING / HIGH-FREQUENCY WELDING

**Segment type:** Crown segment or normal segment, flat segment, turbo segment.

Especially for asphalt road. Also for drilling reinforced concrete, natural stones, wall, bricks, blocks & rock.

Size	Total Length	Working Length	Diamond Width	Shank	Order No.
52mm	450mm	420mm	10mm	1-1/4" UNC	TRJ24-16882084
62mm	450mm	420mm	10mm	1-1/4" UNC	TRJ24-16882085
77mm	450mm	420mm	10mm	1-1/4" UNC	TRJ24-16882086
102mm	450mm	420mm	10mm	1-1/4" UNC	TRJ24-16882087

## ELECTROPLATED DIAMOND CORE DRILL



- Diamond coated core drill bit are made of high-speed steel that is durable and have a long service life, which are high quality and good performance that excellent for making clean and accurate hole.
- Perfect for drill glass, tile bottles, blocks jars, fiberglass porcelain tile ceramic, slate Marble, granite light stone.

## CORE DRILL WITH CENTER PILOT BIT



- Produce clean and accurate holes in minutes with little or no chipping.
- The pilot bit in the center helps for cutting accurate holes.
- Smooth and exact finish for lowering incision resistance and drill pressure, increasing the sharpness, and effectiveness of water lubrication.

Size	Grit	Total Length	Working Length	Diamond Width	Shank	Order No.
30mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882088
35mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882089
40mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882090
45mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882091
50mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882092
60mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882093
65mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882094
70mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882095
75mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882096
80mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882097
85mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882098
100mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882099
120mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882100
140mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882101
150mm	35/40#	90mm	50mm	7mm	9.5mm Hex	TRJ24-16882102

Size	Grit	Total Length	Working Length	Diamond Width	Shank	Order No.
20mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882103
22mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882104
25mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882105
28mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882106
30mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882107
32mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882108
35mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882109
38mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882110
40mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882111
43mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882112
45mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882113
50mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882114
55mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882115
60mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882116
65mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882117
70mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882118
75mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882119
80mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882120
100mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882121
120mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882122
150mm	60/70#	85mm	60mm	4mm	Round	TRJ24-16882123





# DIAMOND CORE DRILL

## WET OR DRY DRILLING

- ALL KINDS OF HARDNESS STONE
- COMPOSITE MATERIAL DRILLING HOLE

**Material:** Diamond + Steel  
**Color:** Red/golden/black/blue/customized  
**Application:** Widely used in ceramic, tiles, marble, granite.



High strength steel  
 No deformation



M14 Thread

Imported Diamond Grain  
 Sharp, Durable, No drop



## DIAMOND CORE DRILL KIT

Choose size match according to your needs

TRJ24-16882124



**5pcs Kit**

TRJ24-16882125



**6pcs kit**

TRJ24-16882126



**7pcs kit**

TRJ24-16882127



**8pcs Kit**

TRJ24-16882128




**9pcs kit**


TRJ24-16882129



**10pcs kit**




## SHAPE A CYLINDRICAL




Size	Cut Length	Shank	Overall Length	Order No.
3mm	13mm	3mm	3mm	TRJ24-16882130
4mm	13mm	4mm	4mm	TRJ24-16882131
6mm	16mm	6mm	6mm	TRJ24-16882132
8mm	20mm	6mm	6mm	TRJ24-16882133
10mm	20mm	6mm	6mm	TRJ24-16882134
12mm	25mm	6mm	6mm	TRJ24-16882135
16mm	25mm	6mm	6mm	TRJ24-16882136

## SHAPE C CYLINDRICAL BALL NOSE




Size	Cut Length	Shank	Overall Length	Order No.
2mm	10mm	3mm	40mm	TRJ24-16882137
3mm	13mm	3mm	43mm	TRJ24-16882138
6mm	13mm	3mm	43mm	TRJ24-16882139
6mm	16mm	6mm	56mm	TRJ24-16882140
8mm	20mm	6mm	60mm	TRJ24-16882141
10mm	20mm	6mm	60mm	TRJ24-16882142
12mm	25mm	6mm	65mm	TRJ24-16882143
16mm	25mm	6mm	65mm	TRJ24-16882144

## SHAPE D BALL




Size	Cut Length	Shank	Overall Length	Order No.
3mm	2mm	3mm	33mm	TRJ24-16882145
4mm	3mm	3mm	34mm	TRJ24-16882146
6mm	5mm	3mm	35mm	TRJ24-16882147
4mm	3mm	6mm	50mm	TRJ24-16882148
6mm	5mm	6mm	45mm	TRJ24-16882149
8mm	7mm	6mm	47mm	TRJ24-16882150
10mm	9mm	6mm	49mm	TRJ24-16882151
12mm	10mm	6mm	51mm	TRJ24-16882152

## SHAPE F ROUND NOSE TREE




Size	Cut Length	Shank	Overall Length	Order No.
3mm	7mm	3mm	37mm	TRJ24-16882153
3mm	13mm	3mm	50mm	TRJ24-16882154
6mm	13mm	3mm	43mm	TRJ24-16882155
6mm	18mm	6mm	58mm	TRJ24-16882156
10mm	20mm	6mm	60mm	TRJ24-16882157
12mm	25mm	6mm	65mm	TRJ24-16882158
16mm	25mm	6mm	65mm	TRJ24-16882159

## SHAPE J60 CONE



Size	Cut Length	Shank	Overall Length	Order No.
6mm	5mm	6mm	50mm	TRJ24-16882160
8mm	7mm	6mm	52mm	TRJ24-16882161
10mm	8mm	6mm	53mm	TRJ24-16882162
12mm	10mm	6mm	55mm	TRJ24-16882163
16mm	13mm	6mm	56mm	TRJ24-16882164

## SHAPE N INVERTED CONICAL



Size	Cut Length	Shank	Overall Length	Order No.
3mm	7mm	3mm	37mm	TRJ24-16882165
6mm	7mm	3mm	37mm	TRJ24-16882166
12mm	13mm	6mm	53mm	TRJ24-16882167
16mm	16mm	6mm	56mm	TRJ24-16882168
10mm	5mm	6mm	45mm	TRJ24-16882169
12mm	5mm	6mm	45mm	TRJ24-16882170
16mm	6mm	6mm	45mm	TRJ24-16882171

## PLASTIC BOX KIT - 10PCS



Size(mm):

A1020M06  
C1020M06  
E1016M06  
F1020M06  
L1025M06  
A0616M06  
C0616M06  
D0807M06  
H0618M06  
L0616M06

TRJ24-16882172

## PLASTIC BOX KIT- 10PCS



Size(mm):

B1020M06  
C1020M06  
F1020M06  
G1020M06  
D1009M06  
B0616M06  
C0616M06  
F0618M06  
G0617M06  
D0605M06

TRJ24-16882173

## ALUMINUM BOX KIT - 8PCS



Size(mm):

A1225M06  
A1020M06  
C1020M06  
C0616M06  
D0807M06  
D1009M06  
F0818M06  
F1020M06

TRJ24-16882174

## PLASTIC BOX KIT- 8PCS



Size(mm):

A1225M06 A1020M06  
C1020M06 C0616M06  
D0605M06 D1009M06  
F1020M06 F1225M06

TRJ24-16882175




### FEATURE:

- The carbide alloy rotary file use is extremely widespread, applies in the mold processing manufacture. Machine parts bevel edge, inverted round and trench processing.
- Can be processed cast iron, cast steel, carbon steel, alloy steel, stainless steel, copper, aluminum, and marble, jade, bone and other non-metallic.
- Widely used in machinery, automobile, shipbuilding, chemical, craft sculpture etc.
- Good processing quality, finish high, long service life. Can process a variety of high-precision mold cavity.
- Easy to grasp, easy to use, safe and reliable. Reduces the arduous manual labor greatly, reduce the cost of production.

## TWISTED KNOT CUP BRUSHES


- Band prevents wire from flaring.
- Aggressive and controlled brushing for very heavy-duty applications.
- With thread or arbor hole for angle grinders.
- For general deburring, removing lacquer, removing slag, descaling, cleaning.



Size	Max.RPM	Arbor Hole	Order No.
65mm	12500	16,M10X1.5,M14X2,5/8"-11	TRJ24-16882176
75mm	12500	16,M10X1.5,M14X2,5/8"-11	TRJ24-16882177
80mm	12500	16,M10X1.5,M14X2,5/8"-11	TRJ24-16882178
100mm	8500	16,M10X1.5,M14X2,5/8"-11	TRJ24-16882179
125mm	6500	22.2,M10X1.5,M14X2,5/8"-11	TRJ24-16882180
150mm	4500	22.2,M10X1.5,M14X2,5/8"-11	TRJ24-16882181

## CRIMPED CUP


- With thread or arbor hole for angle grinders.
- Roughing, deburring, removing lacquer, derusting, descaling, depolishing, cleaning.
- Material=Steel or brass wire.



Size	Max.RPM	Arbor Hole	Order No.
65mm	12500	16,M10X1.5,M14X2,5/8"-11	TRJ24-16882182
75mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882183
85mm	12500	M14X2,5/8"-11	TRJ24-16882184
100mm	8500	M14X2,5/8"-11	TRJ24-16882185
125mm	6500	M14X2,5/8"-11	TRJ24-16882186
150mm	4500	M14X2,5/8"-11	TRJ24-16882187

## TWISTED KNOT BEVEL BRUSHES


- Ideal for clean and rough brushing edges and fillet weld preparation and slag removal.
- Combines the advantages of cup and wheel brush.
- Combines the advantages of cup and wheel brush.



Size	Max.RPM	Arbor Hole	Order No.
100mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882188
115mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882189
125mm	8500	M10X1.5,M14X2,5/8"-11	TRJ24-16882190

## CRIMPED WIRE BEVEL BRUSHES

- Light and medium duty cleaning and surface polishing.
- Removal of rust, scale, paint, burrs, and corrosion.
- Material=Steel or brass.




Size	Max.RPM	Arbor Hole	Order No.
100mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882191
115mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882192
125mm	8500	M10X1.5,M14X2,5/8"-11	TRJ24-16882193



## TWISTED KNOT WHEEL BRUSHES W/THREAD STANDARD TWIST

- Wire wheels brushes can be used horizontally or vertically.
- Standard wire twist knot design for aggressive, yet uniform brushing action.
- For surface preparation, heavy duty applications.
- Correctly aligning brushes to work pieces allows wire tips to do the work.
- It is suitable for general cleaning, weld cleaning, removal of rubber flash, scale, rust, and pipeline cleaning.



Size	Max.RPM	Arbor Hole	Order No.
100mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882194
115mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882195
125mm	11000	M10X1.5,M14X2,5/8"-11	TRJ24-16882196
150mm	9000	M10X1.5,M14X2,5/8"-11	TRJ24-16882197
175mm	9000	M10X1.5,M14X2,5/8"-11	TRJ24-16882198



## TWISTED KNOT WHEEL BRUSHES W/HOLE STANDARD TWIST

Size	Max.RPM	Arbor Hole	Order No.
100mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882199
115mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882200
125mm	11000	M10X1.5,M14X2,5/8"-11	TRJ24-16882201
150mm	9000	M10X1.5,M14X2,5/8"-11	TRJ24-16882202
175mm	9000	M10X1.5,M14X2,5/8"-11	TRJ24-16882203



## TWISTED KNOT WHEEL BRUSHES W/THREAD STRINGER BEAD

- Brushes are used where exacting demands are placed on efficiency and outcome of surface conditioning, deburring, and cleaning operations.
- Most aggressive brushing action, perfect for heavy-duty brushing in pipeline and container construction.



Size	Max.RPM	Arbor Hole	Order No.
100mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882204
115mm	12500	M10X1.5,M14X2,5/8"-11	TRJ24-16882205
125mm	11000	M10X1.5,M14X2,5/8"-11	TRJ24-16882206
150mm	9000	M10X1.5,M14X2,5/8"-11	TRJ24-16882207
175mm	9000	M10X1.5,M14X2,5/8"-11	TRJ24-16882208

## TWISTED KNOT WHEEL BRUSHES W/HOLE STRINGER BEAD

- Narrow face brushes are suitable for cleaning root and hot passes and reaching into corners. Engineered for cost-effective use in less demanding applications.



Size	Max.RPM	Arbor Hole	Order No.
300mm	4500	16mm	TRJ24-16882209
330mm	4500	22.2mm	TRJ24-16882210



## CRIMPED WIRE WHEEL BRUSHES CIRCULAR BRUSHES

- Suitable for deburring, descaling and decarburization, edge mixing, rough bonding, appearance finishing and cleaning/polishing.


Size	Max.RPM	Arbor Hole	Order No.
75mm	8000	20mm	TRJ24-16882211
100mm	8000	20mm	TRJ24-16882212
125mm	8000	32mm	TRJ24-16882213
150mm	6000	32mm	TRJ24-16882214
175mm	6000	32mm	TRJ24-16882215
200mm	4500	32mm	TRJ24-16882216
250mm	3750	32mm	TRJ24-16882217
300mm	3750	32mm	TRJ24-16882218



## CRIMPED WIRE WHEEL BRUSHES

- Light deburring, edge finishing, and surface finishing/cleaning.
- Removal of rust and corrosion

Size	Max.RPM	Arbor Hole	Order No.
25mm	4500	M14X2,5/8"-11	TRJ24-16882219
38mm	4500	M14X2,5/8"-11	TRJ24-16882220
50mm	4500	M14X2,5/8"-11	TRJ24-16882221
65mm	4500	M14X2,5/8"-11	TRJ24-16882222
75mm	4500	M14X2,5/8"-11	TRJ24-16882223
100mm	4500	M14X2,5/8"-11	TRJ24-16882224



## CRIMPED WIRE WHEEL BRUSHES SINGLE SECTION W/THREAD

- Light duty brushing, deburring, edge blending and cleaning
- Removal of rust and corrosion

Size	Max.RPM	Arbor Hole	Order No.
25mm	4500	M14X2,5/8"-11	TRJ24-16882225
38mm	4500	M14X2,5/8"-11	TRJ24-16882226
50mm	4500	M14X2,5/8"-11	TRJ24-16882227
65mm	4500	M14X2,5/8"-11	TRJ24-16882228
75mm	4500	M14X2,5/8"-11	TRJ24-16882229
100mm	4500	M14X2,5/8"-11	TRJ24-16882230



## SHAFT MOUNTED CUP BRUSHES TWISTED KNOT



Size	Max.RPM	Shaft	Order No.
65mm	12500	6/6.35	TRJ24-16882231
75mm	12500	6/6.35	TRJ24-16882232

## CRIMPED WIRE SHAFT MOUNTED CUP BRUSHES



Size	Max.RPM	Shaft	Order No.
38mm	4500	6/6.35	TRJ24-16882233
50mm	4500	6/6.35	TRJ24-16882234
63mm	4500	6/6.35	TRJ24-16882235
75mm	4500	6/6.35	TRJ24-16882236
80mm	4500	6/6.35	TRJ24-16882237

## HEXAGON SHAFT MOUNTED CUP BRUSHES CRIMPED WIRE



Size	Max.RPM	Shaft	Order No.
38mm	4500	6/6.35	TRJ24-16882238
50mm	4500	6/6.35	TRJ24-16882239
63mm	4500	6/6.35	TRJ24-16882240
75mm	4500	6/6.35	TRJ24-16882241
80mm	4500	6/6.35	TRJ24-16882242

## SHAFT MOUNTED CUP BRUSHES INDUSTRIAL TYPE



Size	Max.RPM	Shaft	Order No.
38mm	4500	6/6.35	TRJ24-16882243
50mm	4500	6/6.35	TRJ24-16882244
63mm	4500	6/6.35	TRJ24-16882245
75mm	4500	6/6.35	TRJ24-16882246
80mm	4500	6/6.35	TRJ24-16882247

## SHAFT MOUNTED BEVEL BRUSHES TWISTED KNOT

- For deburring, removing lacquer, removing slag, descaling, cleaning of weld seams.

Size	Max. RPM	Shank	Order No.
75mm	4500	6/6.35mm	TRJ24-16882248
100mm	4500	6/6.35mm	TRJ24-16882249



## SHAFT MOUNTED BEVEL BRUSHES CRIMPED WIRE

- For roughening, deburring, removing lacquer, descaling, cleaning.
- Brush for extreme applications, flat surfaces.

Size	Max. RPM	Shank	Order No.
75mm	4500	6/6.35mm	TRJ24-16882250
100mm	4500	6/6.35mm	TRJ24-16882251



## SHAFT MOUNTED WHEEL BRUSHES TWISTED KNOT

- For single handed grinders and horizontal grinders.
- An aggressive model for use at high surface speed for descaling, deburring, removing rust and adhesive residues and for preparing and cleaning welding seams.

Size	Max. RPM	Shank	Order No.
75mm	4500	6/6.35mm	TRJ24-16882252
100mm	4500	6/6.35mm	TRJ24-16882253



## HEXAGON SHAFT MOUNTED WHEEL BRUSHES CRIMPED WIRE

- Light duty brushing, deburring, edge blending and cleaning.
- Removal of rust and corrosion.

Size	Max. RPM	Shaft	Order No.
38mm	4500	6/6.35mm	TRJ24-16882254
50mm	4500	6/6.35mm	TRJ24-16882255
63mm	4500	6/6.35mm	TRJ24-16882256
75mm	4500	6/6.35mm	TRJ24-16882257
100mm	4500	6/6.35mm	TRJ24-16882258



## MOUNTED WHEEL BRUSHES, CRIMPED

- Uniform brush design for use on drill presses, drills, die grinder or off hand for internal and external cleaning and deburring.
- Suitable for removal of rust, scale paint and weld splatter.
- Removal of rust, scale, splatter, dirt, paint and other coatings.
- Internal and external cleaning and deburring.

Size	Max. RPM	Shaft	Order No.
38mm	4500	6/6.35mm	TRJ24-16882259
50mm	4500	6/6.35mm	TRJ24-16882260
63mm	4500	6/6.35mm	TRJ24-16882261
75mm	4500	6/6.35mm	TRJ24-16882262
100mm	4500	6/6.35mm	TRJ24-16882263



## SHAFT MOUNTED BEVEL BRUSHES TWISTED KNOT

- Aggressive with some flexibility good for cleaning/deburring internal passages, recessed areas, and spot facing.
- Cleaning of dies, molds, and tooling.

Size	Max. RPM	Shank	Order No.
19mm	4500	6/6.35mm	TRJ24-16882264
22mm	4500	6/6.35mm	TRJ24-16882265
25mm	4500	6/6.35mm	TRJ24-16882266
28mm	4500	6/6.35mm	TRJ24-16882267



## CRIMPED WIRE END BRUSHES

- Flexible brushing good for light-duty cleaning of corners and other contoured surfaces.
- Broad range of general purpose applications.

Size	Max. RPM	Shank	Order No.
12mm	4500	6/6.35mm	TRJ24-16882268
15mm	4500	6/6.35mm	TRJ24-16882269
19mm	4500	6/6.35mm	TRJ24-16882270
25mm	4500	6/6.35mm	TRJ24-16882271
28mm	4500	6/6.35mm	TRJ24-16882272



## HEXAGON SHAFT MOUNTED END BRUSHES CRIMPED WIRE

- Flexible brushing good for light-duty cleaning of corners and other contoured surfaces.
- Broad range of general purpose applications.

Size	Max. RPM	Shank	Order No.
15mm	4500	6/6.35mm	TRJ24-16882273
19mm	4500	6/6.35mm	TRJ24-16882274
25mm	4500	6/6.35mm	TRJ24-16882275
28mm	4500	6/6.35mm	TRJ24-16882276



## 6PCS SET WIRE BRUSHES

- Derusting and decontamination, durable.
- Evenly distributed bristles, good density, high finish, suitable for rust removal, paint removal and descaling, deburring, edge fusion, etc.



Type	Size	Max. RPM	Shank	Order No.
End brush	38mm	4500	6/6.35mm	TRJ24-16882277
Wheel brush	50mm	4500	6/6.35mm	TRJ24-16882278
Wheel brush	65mm	4500	6/6.35mm	TRJ24-16882279
Wheel brush	75mm	4500	6/6.35mm	TRJ24-16882280
Wheel brush	100mm	4500	6/6.35mm	TRJ24-16882281
Cup brush	75mm	4500	6/6.35mm	TRJ24-16882282

## 4PCS SET WIRE BRUSHES

- Derusting and decontamination, durable.
- Evenly distributed bristles, good density, high finish, suitable for rust removal, paint removal and descaling, deburring, edge fusion, etc.



Type	Size	Max. RPM	Shank	Order No.
End brush	25mm	4500	6/6.35mm	TRJ24-16882283
Wheel brush	75mm	4500	6/6.35mm	TRJ24-16882284
Cup brush	50mm	4500	6/6.35mm	TRJ24-16882285
Scratch brush	125mm	/	/	TRJ24-16882286



**Material:** Made of rubber and diamond grain, suitable for metal working, cleaning, polishing, grinding, deburring, rust and scratch removal, automotive paint removal, etc.

## R TYPE BRISTLE DISC



Color	Grit	Size	Order No.
Green	50#	25/50/75mm	TRJ24-16882287
Yellow	80#	25/50/75mm	TRJ24-16882288
Grey	120#	25/50/75mm	TRJ24-16882289

## BRISTLE DISC



Color	Grit	Size	Thread Size	Order No.
Green	50#	25/50/75mm	M14 or 5/8"-11	TRJ24-16882290
Yellow	80#	25/50/75mm	M14 or 5/8"-11	TRJ24-16882291
Grey	120#	25/50/75mm	M14 or 5/8"-11	TRJ24-16882292

## RADIAL BRISTLE BRUSHES



Color	Grit	Size	Order No.
Brown	36#	150mm	TRJ24-16882293
Green	50#	150mm	TRJ24-16882294
Yellow	80#	150mm	TRJ24-16882295
Grey	120#	150mm	TRJ24-16882296

## BRISTLE DISC WITH SHANK



Color	Grit	Size	Shank	Order No.
Green	50#	25/50/75mm	1/4" or 6mm shank	TRJ24-16882297
Yellow	80#	25/50/75mm	1/4" or 6mm shank	TRJ24-16882298
Grey	120#	25/50/75mm	1/4" or 6mm shank	TRJ24-16882299

## BRISTLE DISC WITH THREAD



Color	Grit	Size	Thread Size	Order No.
Green	50#	25/50/75mm	M14 or 5/8"-11	TRJ24-16882300
Yellow	80#	25/50/75mm	M14 or 5/8"-11	TRJ24-16882301
Grey	120#	25/50/75mm	M14 or 5/8"-11	TRJ24-16882302



## 7PCS QUICK CHANGE BRISTLE BRUSH KIT



TRJ24-16882303

- Include:
- Green color 2PCS
  - Yellow color 2PCS
  - Gray color 2PCS
  - 1/4inch quick change holder 1PCS



## 7PCS QUICK CHANGE BRISTLE BRUSH KIT

The bristle disc is used for removing rust, paint, oxidation, varnish, surface contaminants, deburring, blending, finishing, polishing, cleaning, etc.



- Include:
- Green color 2PCS
  - Yellow color 2PCS
  - Gray color 2PCS
  - 1/4 inch shank 1PCS




TRJ24-16882304



## ABRASIVE NYLON CUP BRUSHES

- Brush uses include frame and body cleaning, polishing, deburring, scrubbing and brightening, surface refining and decorative finishing. Safe for use on metal, wood, aluminum, and plastic surfaces.

Size	Max.RPM	Arbor Hole	Order No.
75mm	12500	M14X2	TRJ24-16882305
100mm	8500	M14X2	TRJ24-16882306
125mm	6500	M14X2,5/8"-11	TRJ24-16882307
150mm	6500	M14X2,5/8"-11	TRJ24-16882308



## SHAFT MOUNTED CUP BRUSHES

- Effective for flat or rough surfaces.
- Coarse Grit ( 80# ) for quick removal of material; suitable for removing rust and stripping paint from metal and wood surfaces.
- Fine Grit ( 240# ) is suitable for finishing surfaces.

DIA	RPM	Shaft	Order No.
50mm	4500	6/6.35	TRJ24-16882309
63mm	4500	6/6.35	TRJ24-16882310
75mm	4500	6/6.35	TRJ24-16882311



## ABRASIVE NYLON WHEEL BRUSHES

- Use for cleaning, polishing, surface refining, decorative finishes, light burr and stain removal, finishing of wood products, deburring gear and metal parts and electronic printed circuit boards.

DIA	RPM	Arbor Hole	Order No.
100mm	6000	20mm	TRJ24-16882312
125mm	8500	20mm	TRJ24-16882313
150mm	6000	32mm	TRJ24-16882314
175mm	6500	32mm	TRJ24-16882315



## SHAFT MOUNTED FLAP BRUSHES


- Suitable for grinding wide surfaces, especially for wood.
- Coarse Grit ( 80# ) for quick removal of material; suitable for removing rust and stripping paint from metal and wood surfaces Fine Grit ( 240# ) is suitable for finishing surfaces.



Size	Max.RPM	Shaft	Order No.
100mm	4500	6mm	TRJ24-16882316



Size	Max.RPM	Shaft	Order No.
100mm	4500	6mm	TRJ24-16882317



Size	Max.RPM	Shaft	Order No.
100mm	4500	6mm	TRJ24-16882318



Size	Max.RPM	Shaft	Order No.
100mm	4500	6mm	TRJ24-16882319

# WIRE BRUSH

## SAFETY, HIGH QUALITY.



### SHAFT MOUNTED END BRUSHES

- Removing paints, corrosion, weld scale, surface rust & burns from metals. Prepare plastic, fiberglass, & rubber surfaces for adhesives.
- Preparing metal surfaces for primers & paint.
- Cleaning unfinished tile, stone, cement, and brick mortar.
- Removing old paint and finishes from wood. Cleaning & Sanding wood turnings, railings, banisters, trim & molding.



Size	Max.RPM	Order No.
12mm	4500	TRJ24-16882320
19mm	4500	TRJ24-16882321
25mm	4500	TRJ24-16882322
28mm	4500	TRJ24-16882323



### NYLON SHAFT MOUNTED WHEEL BRUSHES

- Maintains shape & will not rust.
- Will not shed bristles under normal conditions.
- Safer to use, will not puncture skin.
- High durability, strong and tough brush, long service life, shorten polishing time and improve equipment efficiency.
- Great for polishing jewelry or other metal working uses.



Size	Max.RPM	Order No.
38mm	4500	TRJ24-16882324
50mm	4500	TRJ24-16882325
63mm	4500	TRJ24-16882326
75mm	4500	TRJ24-16882327
100mm	4500	TRJ24-16882328

## STRAIGHT HANDLE WOODEN WIRE BRUSHES

- Preparing metal surfaces for primers & paint.
- Cleaning unfinished tile, stone, cement, and brick mortar.
- Removing old paint and finishes from wood.
- Cleaning & Sanding wood turnings, railings, banisters, trim & molding.



Rows	Block Size	Brush Length	Order No.
2x15	285x25mm	130mm	TRJ24-16882329
3x15	285x28mm	130mm	TRJ24-16882330
4x15	285x33mm	130mm	TRJ24-16882331
5x15	285x36mm	130mm	TRJ24-16882332
6x15	285x39mm	130mm	TRJ24-16882333



## STRAIGHT HANDLE WOODEN WIRE BRUSHES HEAVY DUTY

- Wooden Handle.
- Complete with scraper.
- Ideal for removing rust, paint etc.
- Traditional, wooden handled, wire brush with a scraper on the front. the scraper turns the brush into a multi-purpose tool enable to scrape off loose rust and paint or caked on dirt and grime before using the stiff, tempered steel bristles to do the job.



Rows	Block Size	Brush Length	Order No.
4x11	280x38mm	120mm	TRJ24-16882336


## LONG HANDLE PLASTIC WIRE BRUSHES

- Ideal for removing dirt, paint, rust and scale.
- Hardened and tempered steel wire bristles for increased strength.
- Rugged galvanised steel scraper is specially designed to loosen tough materials.
- Heavy duty, high impact polycast handle for increased durability.



Rows	Block Size	Brush Length	Order No.
3x19	330x25mm	160mm	TRJ24-16882334

## 3-PACK MINI WIRE BRUSH SET



3 Mini wire brushes  
 (1) Nylon wire brush,  
 (1) Brass wire brush,  
 (1) Stainless steel wire brush.


Rows	Block Size	Trim Length	Order No.
3*7	177x11mm	15mm	TRJ24-16882335

## CRIMPED WIRE HAND BRUSHES



Total Length	Brush Length	Trim Length	Order No.
255mm	125mm	30mm	TRJ24-16882337
300mm	125mm	30mm	TRJ24-16882338
350mm	125mm	30mm	TRJ24-16882339

# POWER TOOLS



## DUAL ACTION POLISHER



**Backing Plate:** 3 Inch **Rated Voltage:** 230V/110V  
**Rated Input Power:** 710W **Rated Frequency:** 50/60HZ  
**No Load Speed:** 2000-5500r/min **Orbit:** 10mm  
**Order No:** TRJ24-16882340



**Dual Action Polisher**



**Backing Plate:** 5 Inch/6 Inch **Rated Voltage:** 230V/110V  
**Rated Input Power:** 750W **Rated Frequency:** 50/60HZ  
**No Load Speed:** 2500-5200r/min **Orbit:** 12-15mm  
**Order No:** TRJ24-16882342

## ROTARY POLISHER



**Backing Plate:** 5 Inch/6 Inch **Rated Voltage:** 230V/110V  
**Rated Input Power:** 900W **Rated Frequency:** 50/60HZ  
**No Load Speed:** 500-3000r/min **Orbit:** 15mm  
**Order No:** TRJ24-16882341

The head of a rotary polisher rotates on a single axis in a uniform circular motion.



**Backing Plate:** 6 Inch/7 Inch **Rated Voltage:** 230V/110V  
**Rated Input Power:** 1200W **Rated Frequency:** 50/60HZ  
**No Load Speed:** 600-3000r/min **Orbit:** 15mm  
**Order No:** TRJ24-16882343



# BELT SANDER

Pressure control technology monitors sanding pad pressure applied for optimal finish.

## BELT SANDER

TRJ24-16882344



**Voltage/Hz:** 220V/50HZ  
**POWER:** 1380W  
**BELT SIZE:** 100\*610mm  
**LINE SPEED:** 550M/MIN

## BELT SANDER

TRJ24-16882345



**Voltage/Hz:** 220V/50HZ  
**POWER:** 150W  
**RPM:** 12000  
**SANDING DISC SIZE:** 90\*187mm  
**Packing:** Dust leg, 10pcs sanding disc

## BELT SANDER

TRJ24-16882346



**Voltage/Hz:** 220V/50HZ **POWER:** 180W  
**SIZE:** 24\*11\*14cm **Color:** Orange  
**Packing:** 2M cable, 10pcs sanding disc

## MOUSE SANDER

TRJ24-16882347



**Voltage/Hz:** 230V/50HZ **POWER:** 130W **RPM:** 14000  
**MOUSE SANDING DISC SIZE:** 140\*140\*80mm  
**Packing:** 1.8m PVC cable, 15pcs mouse sanding disc (60#, 120#, 240#, each grit 5pcs)



## CORDLESS ANGLE GRINDER

TRJ24-16882348



**Brushless Cordless Angle Grinder with Battery**

**Disc Size:** 125mm  
**Battery Capacity:** 4.0Ah  
**Rated Voltage:** 21V  
**Power:** 1280W  
**No-load Speed:** 6500r/min

## CORDLESS ANGLE GRINDER

TRJ24-16882349



**Brushless Cordless Angle Grinder with Battery**

**Disc Size:** 100/125mm  
**Battery Capacity:** 3.0Ah  
**Rated Voltage:** 21V  
**Power:** 950W  
**No-load Speed:** 10000r/min

## ELECTRIC ANGLE GRINDER

TRJ24-16882350



**Disc Size:** 230mm  
**Rated Input Power:** 2000W  
**No-load Speed:** 6500r/min  
**Rated Voltage:** 110-220V  
**Rated Frequency:** 50/60hz

## ELECTRIC ANGLE GRINDER

TRJ24-16882351



**Disc Size:** 115/125mm  
**Rated Input Power:** 500W/700W  
**No-load Speed:** 11000r/min  
**Rated Voltage:** 110-220V  
**Rated Frequency:** 50/60hz

With this high-speed turning disc, you can grind or cut wood, masonry, and metal. Here are some of the things you can do with an Angle Grinder :

- Chop off extra prices of metal
- Sanding and other finishing (low RPM)
- Remove old paint and rust
- During emergency rescue missions

All angle grinders come with a safety guard. This will protect you from flying shrapnel if the disc breaks while operating at thousands of RPM. It will also protect your hands while using the angle grinder.

## SMALL CUTTING MACHINE

TRJ24-16882352



**Loadable Number:** 1PCS  
**Rated Power:** 1800W  
**Capacity:** 2100W(With constant speed device)  
**RPM:** 8500r/min  
**Voltage:** 220V-50Hz  
**Cutting Depth:** 38mm

## SINGLE PCS CUTTING MACHINE

TRJ24-16882353



**Loadable Number:** 1PCS  
**Rated Power:** 1800W  
**Capacity:** 3000W  
**RPM:** 7500r/min  
**Voltage:** 220V  
**Cutting Depth:** 46mm

## MULTIPLE PCS CUTTING MACHINE

TRJ24-16882354



**Loadable Number:** 1-8PCS  
**Rated Power:** 2700W  
**Capacity:** 6500W  
**RPM:** 5000r/min  
**Voltage:** 220V  
**Cutting Depth:** 52mm



The cutting machine is mainly used with circular saw blades or cutting disc, widely used in metal, stone, wood and other cutting, with strong power to meet the needs of different scenes.

## 350 MM CUTTING MACHINE WITH WHEELS

TRJ24-16882355



**Loadable Number:** 1PCS  
**Rated Power:** 3800W  
**Capacity:** 6800W  
**Voltage:** 220V/50-60Hz  
**RPM:** 3800r/min  
**Cutting Depth:** 130mm

## 300 MM CUTTING MACHINE

TRJ24-16882356



**Loadable Number:** 1PCS  
**Rated Power:** 3200W  
**Capacity:** 5800W  
**Voltage:** 220V/50-60Hz  
**RPM:** 4300r/min  
**Cutting Depth:** 110mm

## UNIVERSAL MULTIFUNCTION HCS BLADE



TRJ22-16882883



TRJ22-16882884



TRJ22-16882877



TRJ22-16882878



TRJ22-16882879



TRJ22-16882880



TRJ22-16882881



TRJ22-16882882



TRJ22-16882885




TRJ22-16882886


Size	Material	Order No.
10mm	HCS Steel	TRJ24-16882357
20mm	HCS Steel	TRJ24-16882358
28mm	HCS Steel	TRJ24-16882359
44x100mm	HCS Steel	TRJ24-16882360
44x80mm	HCS Steel	TRJ24-16882361

Size	Material	Order No.
64mm	HCS Steel	TRJ24-16882362
80mm	HCS Steel	TRJ24-16882363
88mm	HCS Steel	TRJ24-16882364


### SUITABLE FOR MOST BRANDS OF MACHINES



### ALLOY SET TRJ24-16882365



### TRJ24-16882366



**31  
PIECE  
SUIT**

## AIR DRILL BORE GUN

TRJ24-16882367



Contoured grip gives greater comfort and control and its ergonomic design delivers exceptional torque precision, as well as increased productivity and safety. Each component, mechanism, and function has undergone rigorous testing to ensure its long-lasting performance.

- **Disk diameter:** 125inch
- **No load speed:** 2000rpm
- **Air inlet size:** 1/4inch
- **Recommended trachea diameter:** 3/8mm
- **Weight:** 0.86kg
- **Length:** 250mm
- **Height:** 65mm

## AIR DRILL PEN

TRJ24-16882369

Small and light weight, high torque grinding ability; Suitable for precision mold grinding, small casting grinding, 3C industry casting grinding and aviation, aerospace grinding tools processing and other fields.



- **Speed:** 65,000rpm
- **Chuck size:** 3 mm
- **Air pressure:** 6.3kg/cm<sup>2</sup>
- **Gas consumption:** 156 L/min
- **Trachea size:** 5mm
- **Air intake:** 1/4"PT
- **Total length:** 141mm
- **Volume:** 82DBA
- **Exhaust system:** Rear exhaust

## ROTARY POLISHER

TRJ24-16882368

The concentricity of rotation is as high as 0.01-0.03m/m and the vibration is small, which can improve the durability of the magic wand and make the surface of the workpiece more flat after grinding.



- **No load speed:** 65000rpm
- **Air inlet size:** 1/4inch
- **Recommended trachea diameter:** 5mm
- **Weight:** 0.18kg
- **Length:** 140mm
- **Height:** 15mm
- **Uses:** maintenance, machinery, metal mold

## ELECTRIC DRILL GRINDER

TRJ24-16882370



Stepless speed regulation, simple operation, small size, humanized fuselage design, comfortable wear-resistant anti-skid, small power, suitable for micro carving/polishing/polishing/cleaning/drilling.

- **Clamping range:** 0.5-3.2mm
- **Speed range:** 3000-18000r/min
- **Input voltage:** 100-240v
- **Output voltage:** 12v
- **Power:** 13W
- **Body size:** 160x27mm

## ELECTRIC DRILL GRINDER

Five speed regulation, simple operation, moderate volume, hard shape, clear lines, good weight, strong moderate power, suitable for small and medium-sized engraving/small and medium-sized grinding/polishing/cutting/drilling/cleaning.

- **Clamping range:** 0.5-3.0mm
- **Speed range:** 8000-30000r/min
- **Input voltage:** 220v
- **Output voltage:** 220v
- **Power:** 130W
- **Body size:** 185x55mm

TRJ24-16882371



## MINI DIE GRINDER



TRJ24-16882372



- Compact design with small 2-1/2" diameter barrel; only 2.1 lbs weight.
- 2.2 amp motor delivers 28, 000 RPM to handle unique applications.
- Powder coated field protects the motor from dust and debris for longer tool life.
- Round-shaped collet nut is designed to help prevent damage/scratches the workpiece.
- Contoured Neck grip provides a secondary hand position for increased maneuverability.

Max. Wheel Diameter	3/4"
AMPS	2.2
Collet	1/4"
No Load Speed	28,000 RPM
Overall Length	11-3/8"
Net Weight	2.1 lbs



## CORDLESS ELECTRIC MINI GRINDER



TRJ24-16882373



**3-SPEED ADJUSTMENT** - Equipped with 3-speed model: 5000rpm, 10000rpm, and 15000rpm allows you to adjust the rotation speed to suit different DIY work situations.

**DIVERSITY TOOL ACCESSORIES** - Some different accessories kit can be used to do various types of home projects and crafting jobs such as sanding, grinding, carving, polishing and more.

**USB CHARGE** - 700mAh large-capacity power battery.

Charging 2-3 hours for continuous work 60 minutes, 3.6 V rechargeable lithium battery for safe operation and long using life.

# 365PCS ROTARY TOOL ACCESSORIES KIT SET

## GRINDING

- 6 x Alumina grinding stone
- 4 x Silicon carbide grinding stone
- 1 x Oil stone
- 1 x Rubber grinding disc
- 6 x Alumina Round grinding stone
- 6 x Silicon carbide Round grinding stone

## CUTTING

- 164 x Cutting disc
- 1 x Diamond cutting sheet
- 6 x Double net cutting disc

## SANDING

- 90 x Sandpaper disc
- 32 x Round sanding disc

## POLISHING

- 4 x Wool felt with hole
- 1 x Wool without hole
- 1 x Cloth grinding wheel
- 2 x Wool felt point

## BRUSH

- 3 x Bristle brush
- 3 x Gold wire brush
- 3 x Silver wire brush
- 3 x Rubber brush

## WHEEL

- 1 x flap disc
- 2 x Rubber drum wheel

## DRILL

- 3 x Wood milling cutter
- 6 x HSS drill
- 9 x Diamond grinding stone

## OTHERS

- 2 x Red polishing paste
- 1 x Wrench
- 4 x Copper chuck
- 3 x Cutting piece fixing rod
- 1 x Fleece retaining rod



TRJ24-16882374



## 252PCS ROTARY ACCESSORIES KIT SET

### GRINDING

- 6 x Alumina grinding stone
- 4 x Silicon carbide grinding stone
- 1 x Oil stone
- 1 x Rubber grinding disc
- 6 x Alumina Round grinding stone
- 6 x Silicon carbide Round grinding stone

### SANDING

- 60 x Sandpaper disc
- 32 x Round sanding disc

### POLISHING

- 4 x Wool felt with hole
- 1 x Wool without hole
- 1 x Cloth grinding wheel
- 2 x Wool felt point

### WHEEL

- 1 x flap disc
- 2 x Rubber drum wheel

### CUTTING

- 75 x Cutting disc
- 1 x Diamond cutting sheet
- 4 x Double net cutting disc

### BRUSH

- 3 x Bristle brush
- 3 x Gold wire brush
- 3 x Silver wire brush

### OTHERS

- 2 x Red polishing paste
- 1 x Wrench
- 4 x Copper chuck
- 3 x Cutting piece fixing rod
- 1 x Fleece retaining rod

### DRILL

- 3 x Wood milling cutter
- 6 x HSS drill
- 10 x Diamond grinding stone

TRJ24-16882375



## 276PCS ROTARY TOOL ACCESSORIES KIT SET

### GRINDING

- 6 x rubber grinding wheel
- 4 x Silicon carbide grinding stone
- 6 x Alumina grinding stone
- 6 x white alumina round grinding
- 6 x Silicon carbide Round grinding stone
- 6 x Alumina Round grinding stone
- 1 x Oil stone

### SANDING

- 52 x Round sanding disc
- 80 x sandpaper disc

### WHEEL

- 4 x flap wheel
- 4 x rubber drum wheel

### POLISHING

- 8 x wool felt with hole
- 1 x Wool felt point

### CUTTING

- 36 x cutting disc
- 2 x Diamond cutting sheet
- 16 x double net cutting disc

### BRUSH

- 3 x Bristle brush
- 3 x Silver wire brush
- 1 x Gold wire brush

### DRILL

- 12 x diamond grinding stone
- 9 x HSS drill

### OTHERS

- 1 x Fleece retaining rod
- 3 x Cutting piece fixing rod
- 2 x green polishing paste
- 3 x Copper chuck
- 1 x Wrench



TRJ24-16882376



## 100PCS ROTARY TOOL ACCESSORIES KIT SET



TRJ24-16882377

### GRINDING

- 3 x Alumina grinding stone
- 2 x White alumina grinding stone
- 2 x Silicon carbide grinding stone
- 1 x Oil stone

### WHEEL

- 2 x Rubber drum wheel

### CUTTING

- 25 x Cutting disc
- 5 x Double net cutting disc

### DRILL

- 8 x Diamond grinding stone

### SANDING

- 10 x Round sanding disc

### POLISHING

- 10 x Wool felt with hole

### BRUSH

- 3 x Bristle brush
- 3 x Gold wire brush

### OTHERS

- 1 x Fleece retaining rod
- 1 x Cutting piece fixing rod
- 2 x Red polishing paste

## 71PCS ROTARY TOOL ACCESSORIES KIT SET



TRJ24-16882378

### GRINDING

- 2 x Alumina grinding stone
- 2 x Silicon carbide grinding stone

### WHEEL

- 2 x Rubber drum wheel

### CUTTING

- 36 x Cutting disc

### DRILL

- 5 x Diamond grinding stone

### SANDING

- 4 x Round sanding disc

### POLISHING

- 12 x Wool felt with hole
- 1 x Wool felt point

### BRUSH

- 2 x Silver wire brush

### OTHERS

- 1 x Fleece retaining rod
- 1 x Cutting piece fixing rod
- 1 x Red polishing paste
- 2 x Copper chuck



## 80PCS ROTARY TOOL ACCESSORIES KIT SET

### GRINDING

- 16 x Alumina grinding stone
- 1 x Oil stone
- 2 x Alumina Round grinding stone

### WHEEL

- 2 x Rubber drum wheel

### CUTTING

- 15 x Cutting disc

### DRILL

- 2 x Diamond grinding stone
- 1 x HSS drill

### SANDING

- 10 x Round sanding disc
- 18 x Sandpaper disc

### POLISHING

- 10 x Wool felt with hole

### OTHERS

- 1 x Fleece retaining rod
- 1 x Cutting piece fixing rod
- 1 x Wrench
- 1 x Copper chuck



TRJ24-16882379





# INTERNATIONAL TRADE FAIRS

Welcome to Our International Trade Fairs for Experiencing Pexcraft Abrasive Products



2024 NATIONAL HARDWARE SHOW Las Vegas



2024 INTERNATIONAL HARDWARE SHOW Cologne



2024 METALLOBRABOTKA Moscow



CANTON fair



GRINDTEC Augsburg



MITEX Moscow



CANTON fair



COLOGNE fair



CANTON Fair Online



# ONE-STOP ABRASIVES SOLUTIONS

**SICHUAN TRANRICH ABRASIVES CO., LTD.**

8th Floor, No.2, Tongfuxiang, Xiyulong St.,  
Chengdu, Sichuan, China 610015

TEL: +86-28-8666 5618

**[www.tranrich.com](http://www.tranrich.com)**